

# FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection

ZKS-T24








- 👺 It adopts advanced North Korean algorithm which is a most mature and stable biometric fingerprint algorithm nowadays
- Fingerprint,password,card,fingerprint+password and fingerprint+card for high security and precision
- RS232,RS485, TCP/IP and USB communication
- Embedded Proximity or Mifare card reader, backup battery
- Menu language: English,French,Spanish,Czech,Indonesian,Portuguese,Turkish and so on
- 3,000 fingerprint templates, everybody can register 3 fingers




## FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

**Security & Protection** 





Door Access Control





#### FINGERPRINT TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

**Security & Protection** 



T24 is an innovative stand-alone fingerprint recorder that can be used in both Time Attendance and Access Control applications. It can be used for door access control and as a fingerprint terminal for attendance management system and other software applications. The robust design and highly reliable performance are results of many years of research efforts and extensive testing. It is suitable for Office/ Building / Factory /Hotel / Hospital/ Bank / Defense / School.

#### **Parameters**

Response time

Item Description

User capacity 3, 000
Transaction Storage: 80, 000

Period of data: Keep data for 3 years when no current

Collecting rate Port rate(9600BPS, 19200BPS, 38400BPS)

 Verification mode:
 1: N, 1:1

 FAR
 <0.0001%</td>

 FRR
 <0.01%</td>

Communication RS232/RS485, TCP/IP, USB

Alarm clock Embedded alarm clock

External functions Connect Electronic lock(Access Control), Electronic bell

<0.7 second

The capacity of connecting net 31 units (RS485 mode), 255 units (TCP/IP)

Distance 1200m (RS485)

Show Time, ID number, Name

Language English, French, Spanish, Czech, Indonesian, Portuguese and Turkish etc.

Working mode Time & attendance, standalone, can working persistently

Time & Attendance mode Fingerprint, password, card, fingerprint + password, fingerprint + card

Save function Turn off device automatically for saving

Size 188\*128\*50 mm

Power supply DC9V, 1A (AC 100V to 240 V, 50 to 60 Hz )

Warranty of period 24 months

Temperature and humidity 0 - 45, 20%-80%

High settings Proximity or Mifare card reader, backup battery

Applications Office/factory/bank/hotel/school etc.





### **Send Message 15 800 6000 15**

If you using a mobile phone or dialing from

Dubai, Macau, Istanbul or areas outside China,

please call: (86-21) 6767 9389

www.zksgroup.com www.zksgroup.in www.zksgroup.com.mx www.zksgroup.com.br www.zksgroup.com.ar www.zksgroup.ae www.zksgroup.fr www.zksgroup.de www.zksgroup.co.uk www.zksgroup.com.au