FINGERPRINT CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection


















- 👺 It is The Multimedia Fingerprint Time&Attendance and Access Control Identification Terminal which adopts advanced North Korean fingerprint algorithm nowadays
- 👺 Fingerprint, card, password, fingerprint+card, fingerprint+password and taking pictures by camera for high security and precision
- RS232,RS485, TCP/IP, Weigand26, USB and ADSL communication
- Embedded Proximity or Mifare card reader and Camera with simple IP Camera function
- Menu language: English, French, Spanish, Czech, Indonesian, Portuguese, Turkish and so on
- 10,000 fingerprint templates, everybody can register 10 fingers
- TFT 8 inches LCD for enjoying, Six work modes, Slided notice, advertisement and music play



FINGERPRINT CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM Security & Protection



For Demo only



Door Access Control

Power Supply Controller Exit Button NO / NC 0-00 BUTTON GND WG26 Card Reader



FINGERPRINT CAMERA TIME ATTENDANCE AND ACCESS CONTROL SYSTEM

Security & Protection



T7 is the advanced product of ZKS in 2007 that can be used in both Time Attendance and Access Control, even IP Camera applications, but it is not traditional one. The scientific definition is the Multimedia Fingerprint Time&Attendance and Access Control Identification Terminal with simple IP Camera. High identification rate is less than one second; Linux operating system and ARM9 hardware platform; Big 8 inches color LCD, showing personnel image, advertising and notice and so on; Inimitable and fancy design; Particular six kinds of work codes check on work accurate attendance advantageously. It is a kind of ideal product for high end consumption.

Parameters

Memory capacity 60MB (can be extended to 1G)

Amount bytes of one fingerprint 2 KB

Period of data Keep data for 3 years when no current

LCD 8-inch TFT color, 640*480 Pixels

 Verification mode:
 1: N, 1:1

 FAR
 <0.0001%</td>

 FRR
 <0.01%</td>

 Response time
 <0.7 second</td>

Communication RS232/ RS485, TCP/IP, U-Disk, Weigand 26 and ADSL

Card Reader Mifare one or Proximity Card

Distance 2. 5-10 cm (Mifare one card), 2. 5-15cm (proximity card)

Video camera 1. 3 million pixels, HDTV Color Camera

Show Color pictures, Chinese, English and Korean, time, ID number, Name etc.

Working mode Time & attendance, standalone, can working persistently

Time & Attendance mode Fingerprint, card, password

Save function Automatical dormancy for saving

External function (access control)

Connect to external E-lock, external ID card reader and indicator light

Time Zone, Group, Unlock Combination Supports 50 time zones, 5 groups and 10 unlock combinations

Multimedia functions Music, slide advertisement, notice etc.

Size 306*210*50mm

Weight 4 kg

Color Silver, Black

Power supply DC12V, 25W, 2A (AC 100V to 240 V, 50 to 60 Hz)

Warranty of period 24 months

Temperature and humidity 0 - 45, 20%-80%

Applications Office, star-hotel, villa, bank, government, top grade community etc.





Send Message 15 800 6000 15

If you using a mobile phone or dialing from

Dubai, Macau, Istanbul or areas outside China,

please call: (86-21) 6767 9389

www.zksgroup.com www.zksgroup.in www.zksgroup.com.mx www.zksgroup.com.br www.zksgroup.com.ar www.zksgroup.ae www.zksgroup.fr www.zksgroup.de www.zksgroup.co.uk www.zksgroup.com.au