

**TVT**®

**TVT**®

Secure The World With You

**TVT DIGITAL TECHNOLOGY CO., LTD.**

Add: 5/F, North Block, CE Lighting House, Hi-Tech Park,  
Nanshan District, Shenzhen, P.R. China 518057

Tel: 86-755-3330 6001

Fax: 86-755-3330 6002

Email: [overseas@tvt.net.cn](mailto:overseas@tvt.net.cn)

Web: [www.tvt.net.cn](http://www.tvt.net.cn)



**HD IP / HD TVI  
SOLUTION**

Professional video surveillance solution provider

## 8-Megapixel T series IP Camera

**TD-9352T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- Lens optional


**TD-9453T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9454T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)

## 3-Megapixel T series IP Camera

**TD-9437T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 70-100m IR range
- Fixed Lens 8mm  
(or 6/12mm)

**TD-9531T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

**TD-9533T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

## 8-Megapixel T series IP Camera

**TD-9457T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9458T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- 70-100m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 16mm  
(or 12/25mm)

**TD-9553T**

- 2560\*1600@30fps/  
3264\*2448@15fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

## 3-Megapixel T series

**TD-9535T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9431E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 6/8mm)

**TD-9432E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 4/8mm)

## 3-Megapixel E series IP Camera

## 3-Megapixel T series IP Camera

**TD-9431T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 6/8mm)

**TD-9432T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 4/8mm)

**TD-9433T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

## 3-Megapixel E series IP Camera

**TD-9433E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9531E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 6/8mm)

**TD-9533E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

## 3-Megapixel T series IP Camera

**TD-9434T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 50-70m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 12mm  
(or 6/8mm)

**TD-9435T**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)

**TD-9436T**

- 2048\*1536@30fps/  
1920\*1080@60fps
- 30-50m IR range
- Fixed Lens 8mm  
(or 6/12mm)

## 3-Megapixel E series IP Camera

**TD-9534E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 6/8mm)

**TD-9535E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9536E**

- 2048\*1536@15fps/  
1920\*1080@30fps
- Fixed Lens 3.6mm  
(or 2.8/6mm)

## 2-Megapixel M series IP Camera

**TD-9322M**

- 1920\*1080@30fps
- Lens optional

**TD-9421M**

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)

**TD-9422M**

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

**TD-9421E**

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 6/8mm)

**TD-9422E**

- 1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm (or 4/8mm)

**TD-9423E**

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 8mm (or 6/12mm)

## 2-Megapixel M series IP Camera

**TD-9423M**

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 8mm (or 6/12mm)

**TD-9424M**

- 1920\*1080@30fps
- 50-70m IR range
- Varifocal Lens 9-22mm; Fixed Lens 12mm (or 8/16mm)

**TD-9426M**

- 1920\*1080@30fps
- 30-50m IR range
- Fixed Lens 8mm (or 6/12mm)

**TD-9425E**

- 1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm (or 3.6/8mm)

**TD-9426E**

- 1920\*1080@30fps
- 30-50m IR range
- Fixed Lens 8mm (or 6/12mm)

**TD-9521E**

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 6/8mm)

## 2-Megapixel M series IP Camera

**TD-9427M**

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 8mm (or 6/12mm)

**TD-9428M**

- 1920\*1080@30fps
- 70-100m IR range
- Varifocal Lens 9-22mm; Fixed Lens 16mm (or 12/25mm)

**TD-9521M**

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)

**TD-9523E**

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

**TD-9525E**

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

**TD-9526E**

- 1920\*1080@30fps
- Fixed Lens 3.6mm (or 2.8/6mm)

## 2-Megapixel M series IP Camera

**TD-9523M**

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

**TD-9525M**

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

**TD-9312M**

- 1280\*960@30fps
- Lens optional

**TD-9411M**

- 1280\*960@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)

**TD-9412M**

- 1280\*960@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)

## 1.3-Megapixel M series IP Camera

**TD-9413M**

- 1280\*960@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9414M**

- 1280\*960@30fps
- 50-70m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 12mm  
(or 8/16mm)

**TD-9416M**

- 1280\*960@30fps
- 30-50m IR range
- Fixed Lens 8mm  
(or 6/12mm)

**TD-9416E**

- 1280\*960@30fps
- 30-50m IR range
- Fixed Lens 8mm  
(or 6/12mm)

**TD-9417E**

- 1280\*960@30fps
- 70-100m IR range
- Fixed Lens 8mm  
(or 6/12mm)


**TD-9511E**

- 1280\*960@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

## 1.3-Megapixel M series IP Camera

**TD-9417M**

- 1280\*960@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9418M**

- 1280\*960@30fps
- 70-100m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 16mm  
(or 12/25mm)

**TD-9511M**

- 1280\*960@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

**TD-9513E**

- 1280\*960@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9515E**

- 1280\*960@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9411S**

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

## 1.3-Megapixel M series IP Camera

## 1.3-Megapixel E series

## 1-Megapixel S series IP Camera

**TD-9513M**

- 1280\*960@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9515M**

- 1280\*960@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)

**TD-9411E**

- 1280\*960@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

**TD-9415S**

- 1280\*720@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)

**TD-9511S**

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

**TD-9514S**

- 1280\*720@30fps
- 20-30m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

## 1.3-Megapixel E series IP Camera

## 1-Megapixel S series IP Camera

**TD-9412E**

- 1280\*960@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 4/8mm)

**TD-9413E**

- 1280\*960@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

**TD-9415E**

- 1280\*960@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)

**TD-9516S**

- 1280\*720@30fps
- Fixed Lens 3.6mm  
(or 2.8/6mm)

# HD TVI CAMERA

ICR

IP66

1/3CMOS

## 1080P M series TVI Camera



### TD-7322TM

- 1920\*1080@30fps
- Lens optional



### TD-7423TM

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)



### TD-7424TM

- 1920\*1080@30fps
- 50-70m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 12mm  
(or 8/16mm)

# HD TVI CAMERA

ICR

IP66

1/3CMOS

## 1080P E series TVI Camera



### TD-7521TE

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)



### TD-7523TE

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)



### TD-7524TE

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)

## 1080P M series TVI Camera



### TD-7427TM

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)



### TD-7428TM

- 1920\*1080@30fps
- 70-100m IR range
- Varifocal Lens 9-22mm;  
Fixed Lens 16mm  
(or 12/25mm)



### TD-7523TM

- 1920\*1280@30fps
- 10-20m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 3.6/8mm)

## 1080P E series TVI Camera



### TD-7525TE

- 1920\*1080@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 6mm  
(or 4/8mm)



### TD-7526TE

- 1920\*1080@30fps
- Fixed Lens 3.6mm  
(or 2.8/6mm)



### TD-7312TE

- 1280\*720@30fps
- Lens optional

## 1080P E series TVI Camera



### TD-7421TE

- 1920\*1080@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)



### TD-7422TE

- 1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 4/8mm)



### TD-7423TE

- 1920\*1080@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

## 720P E series TVI Camera



### TD-7411TE

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm  
(or 2.8/6mm)



### TD-7412TE

- 1280\*720@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)



### TD-7413TE

- 1280\*720@30fps
- 30-50m IR range
- Varifocal Lens 2.8-12mm;  
Fixed Lens 8mm  
(or 6/12mm)

## 1080P E series TVI Camera



### TD-7425TE

- 1920\*1080@30fps
- 20-30m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)



### TD-7426TE

- 1920\*1080@30fps
- 30-50m IR range
- Fixed Lens 8mm  
(or 6/12mm)



### TD-7427TE

- 1920\*1080@30fps
- 70-100m IR range
- Fixed Lens 8mm  
(or 6/12mm)

## 720P E series TVI Camera



### TD-7415TE

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 6mm  
(or 3.6/8mm)



### TD-7416TE

- 1280\*720@30fps
- 30-50m IR range
- Fixed Lens 8mm  
(or 6/12mm)



### TD-7417TE

- 1280\*720@30fps
- 70-100m IR range
- Fixed Lens 8mm  
(or 6/12mm)

## 720P E series TVI Camera



### TD-7511TE

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)



### TD-7513TE

- 1280\*720@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)



### TD-7514TE

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)

## 2-megapixel network PTZ



### TD-9620

- 1/3 CMOS 1080P@30fps
- 12/20X Zoom optional
- Max.speed up to 400°/s
- Intelligent 3D positioning



### TD-9622

- 1/3 CMOS 1080P@30fps
- 20/22X Zoom optional
- Max.speed up to 400°/s
- 100-120m IR range
- Intelligent 3D positioning



### TD-7622TM

- 1/3 CMOS 1080P@30fps HD-TVI output
- 20/22 X Zoom optional
- Max.speed up to 400°/s
- 100-120m IR range
- Intelligent 3D positioning

## 720P E series

## 720P S series TVI Camera



### TD-7515TE

- 1280\*720@30fps
- 20-30m IR range
- Varifocal Lens 2.8-12mm; Fixed Lens 6mm (or 4/8mm)



### TD-7411TS

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)



### TD-7415TS

- 1280\*720@30fps
- 20-30m IR range
- Fixed Lens 6mm (or 3.6/8mm)

## 720P TVI DVR

## Standard 1080P TVI DVR



### TD2704TS-S

- 4CH TVI input
- 1CH audio input
- 4/CH 720P@30FPS
- 4CH playback
- Mini 1U case, SATA x 1

Model:  
TD2704TS-S



### TD2700TS-PL

- 4/8/16CH TVI input
- 1CH audio input
- 4/8/16CH 1080P@15FPS or 720P@30FPS
- 4/8/8CH playback
- Mini 1U case, SATA x 1

Model:  
TD2704TS-PL  
TD2708TS-PL  
TD2716TS-PL



### TD2700TE-PL

- 4/8/16CH TVI input
- 1CH audio input
- 4/8/16CH 1080P@15FPS or 720P@30FPS
- 4/8/8CH playback
- 1U case, SATA x2

Model:  
TD2704TE-PL  
TD2708TE-PL  
TD2716TE-PL

## 720P S series TVI Camera

## Professional 1080P TVI DVR



### TD-7511TS

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)



### TD-7514TS

- 1280\*720@30fps
- 10-20m IR range
- Fixed Lens 3.6mm (or 2.8/6mm)



### TD-7516TS

- 1280\*720@30fps
- Fixed Lens 3.6mm (or 2.8/6mm)



### TD2700TD-P

- 8/16CH TVI input
- 8/16CH audio input
- 8/16CH 1080P@30FPS real time recording
- 8CH playback
- 2U case, SATA x8

Model:  
TD2708TD-P / TD2716TD-P



### TD2700TD-PL

- 8/16CH TVI input
- 8/16CH audio input
- 8/16CH 1080P@15FPS or 720P@30FPS real time recording
- 8CH playback
- 2U case, SATA x8

Model:  
TD2708TD-PL / TD2716TD-PL

## Economic 1080P PoE NVR



### TD2800PS-A4

- 4/8/16CH 720@30FPS input
- 4/8/16CH 1080@15FPS input
- HDMI output
- Mini 1U case, SATA x 1
- 4 x PoE port

Model:  
TD2804PS-A4 / TD2808PS-A4  
TD2816PS-A4

## Standard 1080P PoE NVR



### TD2800PE-A4

- 4CH 720@30FPS input
- 4CH 1080@15FPS input
- HDMI output
- 1U case, SATA x 2
- 4 x PoE port

Model:  
TD2808PE-A4

## Economic 1080P PoE NVR



### TD2804PS-C4

- 4/8/16CH 720@30FPS input
- 4/8/16CH 1080@30FPS input
- HDMI output
- Mini 1U case, SATA x 1
- 4 x PoE port

Model:  
TD2804PS-C4

## Economic 1080P PoE NVR



### TD2800PS-C8

- 8/16CH 720@30FPS input
- 8/16CH 1080@30FPS input
- HDMI output
- Mini 1U case, SATA x 1
- 8 x PoE port

Model:  
TD2808PS-C8 / TD2816PS-C8

## Standard 1080P PoE NVR



### TD2800PE-A8

- 8/16/24CH 720@30FPS input
- 8/16/24CH 1080@15FPS input
- 4/8/16CH 1080@30FPS input
- HDMI output
- 1U case, SATA x 2
- 8 x PoE port

Model:  
TD2808PE-A8 / TD2816PE-A8  
TD2824PE-A8

## Professional 1080P PoE NVR



### TD2800PD-A8

- 8/16/24CH 720@30FPS input
- 8/16/24CH 1080@15FPS input
- 4/8/16CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 8, e-SATA x 2
- 8 x PoE port

Model:  
TD2808PD-A8 / TD2816PD-A8  
TD2824PD-A8

## Standard 1080P PoE NVR



### TD2804PE-C8

- 16/32CH 720@30FPS input
- 16/32CH 1080@30FPS input
- HDMI output
- 1U case, SATA x 2
- 8 x PoE port

Model:  
TD2816PE-C8 / TD2832PE-C8

## Professional 1080P PoE NVR



### TD2832PD-C16

- 32CH 720@30FPS input
- 32CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 8
- 16 x PoE port

Model:  
TD2832PD-C16

## Professional 1080P PoE NVR



### TD2800PD-A16

- 16/24CH 720@30FPS input
- 16/24CH 1080@15FPS input
- 8/16CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 8, e-SATA x 2
- 16 x PoE port

Model:  
TD2816PD-A16 / TD2824PD-A16

## Professional 1080P PoE NVR



### TD2800PC-A16

- 16/24CH 720@30FPS input
- 16/24CH 1080@15FPS input
- 8/16CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 4, e-SATA x 2
- 16 x PoE port

Model:  
TD2816PC-A16 / TD2824PC-A16

## Professional 1080P PoE NVR



### TD2832PC-C16

- 32CH 720@30FPS input
- 32CH 1080@30FPS input
- HDMI output
- 1.5U case, SATA x 4
- 16 x PoE port

Model:  
TD2832PC-C16

## Entry level 1080P NVR



### TD2800NS-SL

- 4/8/16CH 720@30FPS input
- 4/8/16CH 1080@15FPS input
- HDMI output
- Mini 1U case, SATA x 1

Model:  
TD2804NS-SL / TD2808NS-SL  
TD2816NS-SL

## Economic 1080P NVR



### TD2800NS-A

- 4/8/16CH 720@30FPS input
- 4/8/16CH 1080@15FPS input
- HDMI output
- Mini 1U case, SATA x 1

Model:  
TD2804NS-A / TD2808NS-A  
TD2816NS-A

## Professional 1080P NVR



### TD2800ND-C

- 16/32CH 720@30FPS input
- 16/32CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 8

Model:  
TD2816ND-C / TD2832ND-C

## Professional storage server



### TD-S300

- 16/24bays storage server
- 128CH 1080P real time
- 256CH 720P real time
- 16CH playback
- SATAx24,Raid6 HDD mode
- Online capacity extended

Model:  
TD-S312 / TD-S316 / TD-S324

## Standard 1080P NVR



### TD2800NE-A

- 4/8/16/24CH 720@30FPS input
- 4/8/16/24CH 1080@15FPS input
- 2/4/8/16CH 1080@30FPS input
- HDMI output
- Mini 1U case, SATA x 2

Model:  
TD2804NE-A / TD2808NE-A  
TD2816NE-A / TD2824NE-A

## Professional 1080P NVR




### TD2800ND-A

- 8/16/24CH 720@30FPS input
- 8/16/32CH 1080@15FPS input
- 4/8/16CH 1080@30FPS input
- HDMI output
- 2U case, SATA x 8, e-SATA x 2

Model:  
TD2808ND-A / TD2816ND-A  
TD2824ND-A

## Network surveillance management software



### NVMS5000

- Distributed video management platform
- Up to 30000+ cameras
- Support Stream Media transfer& centralized storage
- Support decoder to video wall, alarm triggering
- Support C/S, B/S, Mobile Client
- DVR, NVR, IP camera, SDI/TVI camera compatible
- Device & camera status notification
- Event notification/E-map



### NVMS1000

- Video management software
- Up to 1000+ cameras
- 100CH display each layout
- DVR, NVR, IP camera compatible
- Device and camera status notification
- Self-adaptable stream
- Events notification
- Multiple screen
- E-map

## Economic 1080P NVR



### TD2800NS-C

- 4/8/16CH 720@30FPS input
- 4/8/16CH 1080@30FPS input
- HDMI output
- Mini 1U case, SATA x 1

Model:  
TD2804NS-C / TD2808NS-C  
TD2816NS-C

## Standard 1080P NVR



### TD2800NE-C

- 8/16/32CH 720@30FPS input
- 8/16/32CH 1080@30FPS input
- HDMI output
- Mini 1U case, SATA x 2

Model:  
TD2808NE-C / TD2816NE-C  
TD2832NE-C

### Browser client:



### Mobile client:



A free App for iOS/Android