




**4 in 1 Hybrid (AHD/TVI/CVI/CVBS) Cameras**




| Picture               | Type                             | Model no.      | Remark  | Image Sensor  | Features   |
|-----------------------|----------------------------------|----------------|---|---|--|
| <b>Covert Cameras</b> |                                  |                |   |   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-924C11      | 2.0MP   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR | <ul style="list-style-type: none"> <li>★ Hidden PIR Type Camera</li> <li>★ Lens: MTV- 3.7mm</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Plastic with white color</li> <li>★ Weight:200g</li> </ul>  |
|                       |                                  | HD-924C12-1    | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-924C13      | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-924PIRC11   | 2.0MP   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR | <ul style="list-style-type: none"> <li>★ PIR Hidden camera</li> <li>★ Lens: MTV- 3.7mm</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Plastic with white color</li> <li>★ Weight:200g</li> <li>Remark: if the camera has PIR, it can't be with IR leds; adding audio can't be with OSD cable, extra cost is ** for adding audio</li> </ul>   |
|                       |                                  | HD-924PIRC12-1 | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-924PIRC13   | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-924IRC10-3  | 2.0MP   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Hidden PIR Type camera with IR leds</li> <li>★ Lens: MTV-3.7mm, 3MP. View Angle: 90 Degree</li> <li>★ IR Leds: 18Pcs , IR distance : about 10 meters</li> <li>★ Power supply: DC12V+ BNC</li> <li>★ Case : Plastic, white color</li> <li>★ Size:104(W)x60(H)x60(D)mm</li> <li>★ Weight:200g</li> </ul>  |
|                       |                                  | HD-924IRC10    |   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |  |
|                       |                                  | HD-924IRC10-4  |   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |  |
|                       |                                  | HD-924IRC11    | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |  |
|                       |                                  | HD-924IRC11-1  | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |  |
|                       |                                  | HD-924IRC12-1  | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-924IRC13    | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
| <br>MOQ: 50PCS        | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-954IRC10    | 2.0MP   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   | <ul style="list-style-type: none"> <li>★ Hidden PIR camera</li> <li>★ Lens: 3.7mm pinhole lens</li> <li>★ 48pcs 940nm invisible IR leds</li> <li>★ Power supply: DC12V+ BNC</li> <li>★ Case : Plastic, white color</li> <li>★ Size:120 (W) x70 (H) x75 (D) mm</li> <li>★ Weight:220g</li> </ul>  |
|                       |                                  | HD-954IRC11    |   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |  |
|                       |                                  | HD-954IRC11-1  |   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |  |
|                       |                                  | HD-954IRC12-1  | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-954IRC13    | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-14C10       | 2.0MP   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   | <ul style="list-style-type: none"> <li>★ Smoke detector camera with real alarm</li> <li>★ Minimum illumination: Color 0.1Lux@F1.2; B&amp;W:0.01 Lux@F1.2</li> <li>★ IR LED:No</li> <li>★ MTV-3.7mm Lens ,90 degree</li> <li>★ Case: plastic, white</li> <li>★ Cable Port:DC12V+BNC</li> <li>★ Size: 130*50mm</li> <li>★ Weight: 0.35kg</li> <li>(2.8mm Lens custom made, MOQ 100Pcs), If no need real smoke, pls confirm when order</li> </ul> |
|                       |                                  | HD-14C11       |   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |  |
|                       |                                  | HD-14C11-1     |   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |  |
|                       |                                  | HD-14C12-1     | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-14C13       | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-31C10-3     | 2.0MP   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Lens:MTV-3.7mm</li> <li>★ IR Leds:No</li> <li>★ Power supply: DC12V+ BNC</li> <li>★ Dimension:20(W)x38(H)x38(D)mm</li> <li>★ Weight:100g</li> </ul>   |
|                       |                                  | HD-31C10       |   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |  |
|                       |                                  | HD-31C10-4     |   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |  |
|                       |                                  | HD-31C11       | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |  |
|                       |                                  | HD-31C11-1     | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |  |
|                       |                                  | HD-31C12-1     | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-31C13       | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|                       | 4 in 1 Hybrid (AHD/TVI/CVI/CVBS) | HD-324C10-3    | 2.0MP   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Corner Mount Triangle Camera</li> <li>★ Lens: 2.8mm 3.0MP</li> <li>Vision Angle:92 degree wide angle</li> <li>★ IR LEDs:1pc 3W Array LED, 15m IR distance</li> <li>★ Port cable:12V DC + RJ45 10/100M Ethernet</li> <li>★ Housing Case: Metal, White</li> <li>★ Dimensions:145*200 mm</li> <li>★ Weight: 600g</li> </ul>  |
|                       |                                  | HD-324C10      |   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |  |
|                       |                                  | HD-324C10-4    |   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |  |
|                       |                                  | HD-324C11      | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |  |
|                       |                                  | HD-324C11-1    | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |  |
|                       |                                  | HD-324C12-1    | 4.0MP   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|                       |                                  | HD-324C13      | 5.0MP   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |



|  |  |             |  |   |   |
|--|--|-------------|--|---|---|
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-58C10-3  | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ <b>Embedded mount hybrid Dome Camera</b></li> <li>★ built-in IR-CUT</li> <li>★ IR LED:24Pcs <math>\varnothing</math> 5</li> <li>★ IR Distance:10M</li> <li>★ MTV-2.8mm</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ White metal dome case</li> <li>★ <math>\varnothing</math> 120*100mm (H) mm</li> </ul>          |
|  |  | HD-58C10    |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-58C10-4  |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-58C11    |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-58C11-1  | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-58C12-1  | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-58C13    | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-180C10-3 | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ <b>180° view angle Fisheye IR HD Camera</b></li> <li>★ Lens: 1.7mm 5.0MP</li> <li>★ Vision Angle': 180 degree wide angle</li> <li>★ IR LEDs:3pc 1W IR Array Leds, 10m IR distance</li> <li>★ Housing Case: Metal, White</li> <li>★ Dimensions: <math>\varnothing</math> 120 x 68.4 mm</li> <li>★ Weight: 800g</li> </ul> |
|  |  | HD-180C10   |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-180C10-4 |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-180C11   |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-180C11-1 | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-180C12-1 | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-180C13   | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-360C10-3 | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ <b>Plastic 360 degrees Fish-eye Panoramic IR Camera</b></li> <li>★ IR Range: about 20M</li> <li>★ 27 pcs*5mm IR-LED</li> <li>★ Standard lens: 1.55mm fisheye 5MP Lens</li> <li>★ Weight:800g</li> </ul>  |
|  |  | HD-360C10   |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-360C10-4 |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-360C11   |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-360C11-1 | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-360C12-1 | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-360C13   | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |

MOQ: 50PCS




MOQ : 20Pcs

### Bullet IR Waterproof Camera -- Matal Case With Bracket


|  |  |              |  |   |   |
|--|--|--------------|--|---|---|
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-N38C10-3  | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Lens: 3.6/6mm (standard 3.6mm)</li> <li>★ IR Leds:6Pcs <math>\varnothing</math> 12 Array IR leds,</li> <li>★ IR distance: 30 meters</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal with white color, inner cable bracket,IP66</li> <li>★ Size:68*68*180mm</li> <li>★ Weight:400g</li> </ul>  |
|  |  | HD-N38C10    |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-N38C10-4  |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-N38C11    |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-N38C11-1  | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-N38C12-1  | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-N38C13    | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | HD-N38C14-2  | <b>8.0MP</b>   | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-2260C10-3 | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Lens: 3.6/6mm (standard 3.6mm)</li> <li>★ IR Leds:36Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 20 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal with white color, inner cable bracket, IP66</li> <li>★ Size:63*63*112mm</li> <li>★ Weight:400g</li> <li>★ if use Laser IR leds, the price add USD1.0/pc</li> </ul> |
|  |  | HD-2260C10   |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-2260C10-4 |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-2260C11   |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-2260C11-1 | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-2260C12-1 | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-2260C13   | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | HD-2260C14-2 | <b>8.0MP</b>   | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | HD-38C10-3   | <b>2.0MP</b>   | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Lens: 3.6/6mm (standard 3.6mm)</li> <li>★ IR Leds:36Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 30 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal with white color, inner cable bracket,IP66</li> <li>★ Size:68*68*180mm</li> <li>★ Weight:400g</li> <li>★ if use Laser IR leds, the price add USD1.0/pc</li> </ul>  |
|  |  | HD-38C10     |  | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | HD-38C10-4   |  | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | HD-38C11     |  | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | HD-38C11-1   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR |   |   |
|  |  | HD-38C12-1   | <b>4.0MP</b>   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | HD-38C13     | <b>5.0MP</b>   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | HD-38C14-2   | <b>8.0MP</b>   | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |



|  |  |                      |              |   |   |
|--|--|----------------------|--------------|---|---|
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | <b>HD-7080TC10-3</b> | <b>2.0MP</b> | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Built-in IR-Cut</li> <li>★ Lens: 2.8-12MM Varifocal lens</li> <li>★ IR Leds: <math>\varnothing</math> 5X42PCS</li> <li>★ IR distance: 40 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal,white color,IP66 ( with bracket)</li> <li>★ Size:275(W)x90.5(H)x79.5(D)mm</li> <li>★ Weight:1.4KG</li> <li>★ if use Laser IR leds, the price add USD2.5/pc</li> </ul> |
|  |  | <b>HD-7080TC10</b>   |              | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | <b>HD-7080TC10-4</b> |              | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | <b>HD-7080TC11</b>   |              | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | <b>HD-7080TC11-1</b> |              | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |
|  |  | <b>HD-7080TC12-1</b> | <b>4.0MP</b> | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | <b>HD-7080TC13</b>   | <b>5.0MP</b> | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | <b>HD-7080TC14-2</b> | <b>8.0MP</b> | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  |  | <b>HD-7080TC14</b>   |              | 1/2.3"OV12895+NVP2481H, 0.01lux, 3DNR                   |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | <b>HD-9080TC10-3</b> | <b>2.0MP</b> | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Lens: <b>MTV2.8-12mm</b></li> <li>★ IR Leds:72Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 30~60 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal with white or Grey color, inner cable bracket, IP66</li> <li>★ Size:98*95*260mm</li> <li>★ Weight:1400g</li> </ul>  |
|  |  | <b>HD-9080TC10</b>   |              | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | <b>HD-9080TC10-4</b> |              | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | <b>HD-9080TC11</b>   |              | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | <b>HD-9080TC11-1</b> |              | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |
|  |  | <b>HD-9080TC12-1</b> | <b>4.0MP</b> | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | <b>HD-9080TC13</b>   | <b>5.0MP</b> | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | <b>HD-9080TC14-2</b> | <b>8.0MP</b> | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  |  | <b>HD-7080TC14</b>   |              | 1/2.3"OV12895+NVP2481H, 0.01lux, 3DNR                   |   |

### Dome Camera- Plastic Case

|  |   |  |   |   |  |
|--|---|--|---|---|--|
|   | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS)              | <b>HD-968C10-3</b>   | <b>2.0MP</b>  | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Plastic dome camera , built-in IR-Cut</li> <li>★ Lens: 3.6/6mm (standard 3.6mm)</li> <li>★ IR Leds:6pcs <math>\varnothing</math> 12 IR Array leds,</li> <li>★ IR distance: 10/20 meters</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Plastic, white</li> <li>★ Size: <math>\varnothing</math> 94 x 69(H) mm</li> <li>★ Weight:250g</li> </ul> |
|  |   | <b>HD-968C10</b>   |   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |  |
|  |   | <b>HD-968C10-4</b>   |   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |  |
|  |   | <b>HD-968C11</b>   |   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |  |
|  |   | <b>HD-968C11-1</b>   |   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |  |
|  |   | <b>HD-968C12-1</b>   | <b>4.0MP</b>  | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|  |   | <b>HD-968C13</b>   | <b>5.0MP</b>  | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|  |   | <b>HD-968C14-2</b>   | <b>8.0MP</b>  | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |  |
|  |   |  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS)              | <b>HD-947C10-3</b>                                      |  |
| <b>HD-947C10</b>   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |  |   |   |  |
| <b>HD-947C10-4</b>   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |  |   |   |  |
| <b>HD-947C11</b>   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |  |   |   |  |
| <b>HD-947C11-1</b>   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |  |   |   |  |
| <b>HD-947C12-1</b>   | <b>4.0MP</b>  |  |   | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
| <b>HD-947C13</b>   | <b>5.0MP</b>  |  |   | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
| <b>HD-947C14-2</b>   | <b>8.0MP</b>  |  |   | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |  |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS)              |  |   | <b>HD-928C10-3</b>                                      | <b>2.0MP</b>   |
|  |   | <b>HD-928C10</b>   | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |  |
|  |   | <b>HD-928C10-4</b>   | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |  |
|  |   | <b>HD-928C11</b>   | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |  |
|  |   | <b>HD-928C11-1</b>   | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |  |
|  |   | <b>HD-928C12-1</b>   | <b>4.0MP</b>  | GC4653 + FH8538E, 0.001Lux, 2DNR                        |  |
|  |   | <b>HD-928C13</b>   | <b>5.0MP</b>  | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |  |
|  |   | <b>HD-928C14-2</b>   | <b>8.0MP</b>  | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |  |

### Dome Camera- Metal case

|  |  |                    |              |   |   |
|--|--|--------------------|--------------|---|---|
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | <b>HD-518C10-3</b> | <b>2.0MP</b> | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Built-in IR-Cut</li> <li>★ Lens:3.6mm</li> <li>★ IR Leds:24Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 10/20 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal, white,IP66</li> <li>★ Size: <math>\varnothing</math> 94 x 69(H) mm</li> <li>★ Weight:400g</li> <li>★ if use Laser IR leds, the price add USD1.0/pc</li> </ul> |
|  |  | <b>HD-518C10</b>   |              | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | <b>HD-518C10-4</b> |              | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | <b>HD-518C11</b>   |              | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | <b>HD-518C11-1</b> |              | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |
|  |  | <b>HD-518C12-1</b> | <b>4.0MP</b> | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | <b>HD-518C13</b>   | <b>5.0MP</b> | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | <b>HD-518C14-2</b> | <b>8.0MP</b> | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |

|  |  |                              |              |   |   |
|--|--|------------------------------|--------------|---|---|
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | <a href="#">HD-517TC10-3</a> | <b>2.0MP</b> | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ Built-in IR-Cut</li> <li>★ Lens: MTV-2.8-12mm</li> <li>★ IR Leds:36Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 10~30 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal, white,IP66</li> <li>★ Size: <math>\varnothing</math> 131 x 93(H) mm</li> <li>★ Weight:800g</li> </ul>                           |
|  |  | <a href="#">HD-517TC10</a>   |              | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | <a href="#">HD-517TC10-4</a> |              | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | <a href="#">HD-517TC11</a>   |              | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | <a href="#">HD-517TC11-1</a> |              | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |
|  |  | <a href="#">HD-517TC12-1</a> | <b>4.0MP</b> | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | <a href="#">HD-517TC13</a>   | <b>5.0MP</b> | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | <a href="#">HD-517TC14-2</a> | <b>8.0MP</b> | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  |  | <a href="#">HD-517TC14</a>   |              | 1/2.3"OV12895+NVP2481H, 0.01lux, 3DNR                   |   |
|  | <b>4 in 1 Hybrid</b><br>(AHD/TVI/CVI/CVBS) | <a href="#">HD-939C10-3</a>  | <b>2.0MP</b> | GC2053 + FH8536H , 0.001Lux, 3DNR                       | <ul style="list-style-type: none"> <li>★ <b>Vandalproof dome camera</b></li> <li>★ Lens: 4/6/8mm</li> <li>★ IR Leds:30Pcs <math>\varnothing</math> 5 leds,</li> <li>★ IR distance: 10/20/30 meters</li> <li>★ Minimum illumination:0.01Lux</li> <li>★ Port Cable:DC12V + BNC</li> <li>★ Case: Metal, white,IP66,Vandalproof</li> <li>★ Size: <math>\varnothing</math> 140 x 110(H) mm</li> <li>★ Weight:650g</li> </ul> |
|  |  | <a href="#">HD-939C10</a>    |              | SONY IMX323 + FH8536H, 0.001Lux, 3DNR                   |   |
|  |  | <a href="#">HD-939C10-4</a>  |              | SONY IMX323 + NVP2441H, 0.001Lux, 3DNR                  |   |
|  |  | <a href="#">HD-939C11</a>    |              | SONY IMX307 + NVP2441 , 0.0001Lux, Starlight, WDR, 3DNR |   |
|  |  | <a href="#">HD-939C11-1</a>  |              | SONY IMX307 + FH8550M, 0.0001Lux, Starlight, WDR, 3DNR  |   |
|  |  | <a href="#">HD-939C12-1</a>  | <b>4.0MP</b> | GC4653 + FH8538E, 0.001Lux, 2DNR                        |   |
|  |  | <a href="#">HD-939C13</a>    | <b>5.0MP</b> | SONY IMX335 + FH8538M, 0.001Lux, 2DNR                   |   |
|  |  | <a href="#">HD-939C14-2</a>  | <b>8.0MP</b> | Sony IMX415 + TP3818, 0.01Lux, 3DNR                     |   |
|  |  |                              |              |   |   |

1) Trade Term: EXW Factory.

2) Payment condition: 100% T/T in advance; We can accept payment by PAYPAL or western Union for sample order.

3) Delivery Time: about 7 working days as per order quantity. Sample about 3-4 working days.

4) Shipment: by Express, Air, Ship (Which basically depends on customers' order quantity and requirements.)

5) Warranty: two years for free