



## ***Ultimate Solution for Gated Community***




**Bluguard Mini CMS**  
Enhanced Your Gated Security

# **ADVANTAGES OF BLUGUARD MINI CMS**

- Central Monitoring System that is fast, secure to protect gated community with siren / strobe light output
- Assures quick and accurate identification of alarms so that no time is wasted in an emergency situation
- Cost effective solution to that provide early precaution
- User Friendly Operation (Graphical Interface PC Software) that provide overall zone monitoring
- All programming functions, including the adjustment of the real time clock and date is password protected to ensure better security.

# HOW DOES BLUGUARD MINI CMS WORK?

## Guard House with Bluguard CMS System



# ***BLUGUARD MINI CMS FEATURES***

# **BLUGUARD MINI CMS FEATURES**

- ✓ The ultimate solution for the gated community
- ✓ A localized design floor map for visual indication which supports up to 1000 accounts / units
- ✓ Auto save Report Log (by date) for all reports made by guards
- ✓ Auto save Event Log (by date) on all events received
- ✓ Print out of Guard Attendance Sheet for account owner to sign

# ***BLUGUARD MINI CMS FEATURES***

- ✓ Auto save event log and report log by date in PC
- ✓ CMS Account Report for all events of individual account can be printed put based on the date range entered
- ✓ Easy access text format report
- ✓ Multiple level operator access password
- ✓ Built in lightning protection module

# BLUGUARD MINI CMS SOFTWARE

Supports up to 1000 accounts / houses

BluGuard CMS Receiver PC Software

File View Help

CMS Receiver | Event Log | Report Log | Account Information



AC OK | Timer Set | Siren OK | Battery OK

0001	0021	0041	0061	0081	0101	0121	0141	0161	0181	0201	0221	0001 SYSTEM ARM
0002	0022	0042	0062	0082	0102	0122	0142	0162	0182	0202	0222	23-05-2008: 5:02 PM 0001 ZONE 04 ALARM
0003	0023	0043	0063	0083	0103	0123	0143	0163	0183	0203	0223	23-05-2008: 5:02 PM 0001 ZONE 02 ALARM
0004	0024	0044	0064	0084	0104	0124	0144	0164	0184	0204	0224	23-05-2008: 5:02 PM 0001 ZONE 03 ALARM
0005	0025	0045	0065	0085	0105	0125	0145	0165	0185	0205	0225	23-05-2008: 5:02 PM 0001 ZONE 08 ALARM
0006	0026	0046	0066	0086	0106	0126	0146	0166	0186	0206	0226	23-05-2008: 5:02 PM 0001 ZONE 07 ALARM
0007	0027	0047	0067	0087	0107	0127	0147	0167	0187	0207	0227	23-05-2008: 5:02 PM 0001 ZONE 06 ALARM
0008	0028	0048	0068	0088	0108	0128	0148	0168	0188	0208	0228	23-05-2008: 5:02 PM 0001 ZONE 05 ALARM
0009	0029	0049	0069	0089	0109	0129	0149	0169	0189	0209	0229	23-05-2008: 5:02 PM 0001 ZONE 06 RESTORE
0010	0030	0050	0070	0090	0110	0130	0150	0170	0190	0210	0230	23-05-2008: 5:02 PM 0001 ZONE 08 RESTORE
0011	0031	0051	0071	0091	0111	0131	0151	0171	0191	0211		23-05-2008: 5:02 PM 0001 ZONE 05 RESTORE
0012	0032	0052	0072	0092	0112	0132	0152	0172	0192	0212		23-05-2008: 5:02 PM 0001 ZONE 07 RESTORE
0013	0033	0053	0073	0093	0113	0133	0153	0173	0193	0213		
0014	0034	0054	0074	0094	0114	0134	0154	0174	0194	0214		
0015	0035	0055	0075	0095	0115	0135	0155	0175	0195	0215		
0016	0036	0056	0076	0096	0116	0136	0156	0176	0196	0216		
0017	0037	0057	0077	0097	0117	0137	0157	0177	0197	0217		
0018	0038	0058	0078	0098	0118	0138	0158	0178	0198	0218		
0019	0039	0059	0079	0099	0119	0139	0159	0179	0199	0219		
0020	0040	0060	0080	0100	0120	0140	0160	0180	0200	0220		

Ready NUM 5:03 PM

# BLUGUARD MINI CMS SOFTWARE

*Information display on PC screen during intrusion*





# BLUGUARD MINI CMS SOFTWARE

## System report slip during intrusion

Close

Page 1/1

CMS Account Report  
31 Jul 2009, Fri, 03:50 PM

---

Account Number: 0001  
Address: No. 1, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.  
Name: Alex  
Telephone Number: 012-1111111

Report Date Range: 31-07-2009 to 31-07-2009

---

Date/Time:	Event:
------------	--------

---

End of Report

---

Action Taken: Guard despatch to site now

Report by: Admin

# BLUGUARD MINI CMS SOFTWARE

*Auto save Event Log (by date) on all events captured*

The screenshot displays the BluGuard CMS-230 PC Software interface. The main window is titled "View Event Log" and contains a table of event data. On the left, there is a sidebar with a power button labeled "AC OK" and a list of account numbers from 0001 to 0020, each with a house icon. On the right, there is a control panel with buttons for "Open Event Log", "Save Event Log", "Clear Event Log", "Print", and "Close". Below these buttons is a scrollable list of user names, with "User 01" visible multiple times.

Account No	Date/Time	Event
0001	24-02-2010; 2:42 PM	Zone 02 Alarm
0001	24-02-2010; 2:42 PM	Zone 01 Alarm
0001	24-02-2010; 2:42 PM	Partition 1 Arm
0001	01-01-2000; 12:01 AM	Partition 1 Disarm by User 01
0001	01-01-2000; 12:01 AM	Zone 08 Alarm
0001	01-01-2000; 12:01 AM	Zone 07 Alarm
0001	01-01-2000; 12:01 AM	Zone 06 Alarm
0001	01-01-2000; 12:01 AM	Zone 05 Alarm
0001	01-01-2000; 12:01 AM	Zone 04 Alarm
0001	01-01-2000; 12:01 AM	Zone 03 Alarm
0001	01-01-2000; 12:01 AM	Zone 02 Alarm
0003	24-02-2010; 3:12 PM	Partition 1 Disarm by User 01
0003	24-02-2010; 3:12 PM	Zone 08 Restore
0003	24-02-2010; 3:12 PM	Zone 08 Alarm
0003	24-02-2010; 3:12 PM	Zone 07 Restore
0003	24-02-2010; 3:12 PM	Zone 07 Alarm
0003	24-02-2010; 3:11 PM	Zone 06 Restore
0003	24-02-2010; 3:11 PM	Zone 06 Alarm
0003	24-02-2010; 3:11 PM	Partition 1 Arm
0003	24-02-2010; 3:10 PM	Partition 1 Disarm by User 01
0003	24-02-2010; 3:10 PM	Partition 1 Disarm by User 01
0003	24-02-2010; 3:10 PM	Partition 1 Disarm by User 01
0003	24-02-2010; 3:10 PM	Zone 05 Restore
0003	24-02-2010; 3:10 PM	Zone 05 Alarm
0003	24-02-2010; 3:10 PM	Zone 04 Restore
0003	24-02-2010; 3:10 PM	Zone 04 Alarm
0003	24-02-2010; 3:10 PM	Zone 03 Restore
0003	24-02-2010; 3:10 PM	Zone 03 Alarm
0003	24-02-2010; 3:10 PM	Zone 02 Restore
0003	24-02-2010; 3:10 PM	Zone 02 Alarm
0003	24-02-2010; 3:10 PM	Zone 01 Restore
0003	24-02-2010; 3:10 PM	Zone 01 Alarm
0003	24-02-2010; 3:10 PM	Partition 1 Arm
0003	24-02-2010; 3:04 PM	Partition 1 Disarm by User 01
0003	24-02-2010; 3:04 PM	Zone 08 Restore
0003	24-02-2010; 3:04 PM	Zone 08 Alarm
0003	24-02-2010; 3:04 PM	Zone 07 Restore
0003	24-02-2010; 3:04 PM	Zone 07 Alarm
0003	24-02-2010; 3:04 PM	Zone 05 Restore
0003	24-02-2010; 3:04 PM	Zone 05 Alarm
0003	24-02-2010; 3:04 PM	Zone 06 Restore
0003	24-02-2010; 3:04 PM	Zone 06 Alarm

# BLUGUARD MINI CMS SOFTWARE

Auto save Report Log (by date) for reports made by guard

The screenshot displays the BluGuard CMS-230 PC Software interface. The main window shows a grid of 20 house icons, each with a unique ID (e.g., 0001, 0021, 0041, 0002, 0022, 0042, etc.). A 'View Report Log' dialog box is open, showing a list of reports with details such as Account Number, Date/Time, Report Location, and Print Report status. The reports are sorted by date and time. A 'Report Log' panel on the right side of the dialog box contains buttons for 'Open Report Log', 'Clear Report Log', 'Print', and 'Close'. The main window also features a status bar at the bottom with 'Ready' and 'NUM' indicators.

**View Report Log**

Account Number: 0001  
Date/Time: 24 Feb 2010; 02:46 PM  
Report Location: Panic 6 (P6)  
Print Report: NO

Account Number: 0001  
Date/Time: 24 Feb 2010; 02:46 PM  
Report Location: Panic 7 (P7)  
Print Report: NO

Account Number: 0001  
Date/Time: 24 Feb 2010; 02:46 PM  
Report Location: Panic 8 (P8)  
Print Report: NO

Account Number: 0003  
Date/Time: 24 Feb 2010; 03:00 PM  
Report Date Range: 24-02-2010 to --  
Print Report: NO

Account Number: 0003  
Date/Time: 24 Feb 2010; 03:06 PM  
Report Date Range: 24-02-2010 to 24-02-2010  
Print Report: YES

Account Number: 0003  
Date/Time: 24 Feb 2010; 03:07 PM  
Report Date Range: 24-02-2010 to 24-02-2010  
Print Report: YES

Account Number: 0001  
Date/Time: 24 Feb 2010; 03:11 PM  
Report Date Range: 24-02-2010 to --  
Print Report: NO

Account Number: 0003  
Date/Time: 24 Feb 2010; 03:11 PM  
Report Date Range: 24-02-2010 to --  
Print Report: NO

Account Number: 0003  
Date/Time: 24 Feb 2010; 03:13 PM  
Report Date Range: 24-02-2010 to 24-02-2010  
Print Report: YES

**Report Log**

Open Report Log

Clear Report Log

Print

Close

[0001] 24-02-2010; 3:09 PM  
Partition 1 Disarm by User 01

[0003] 24-02-2010; 3:10 PM  
Partition 1 Arm

[0003] 24-02-2010; 3:10 PM  
Zone 01 Alarm

[0003] 24-02-2010; 3:10 PM  
Zone 01 Restore

[0003] 24-02-2010; 3:10 PM  
Zone 02 Alarm

[0003] 24-02-2010; 3:10 PM  
Zone 02 Restore

[0003] 24-02-2010; 3:10 PM  
Zone 03 Alarm

[0003] 24-02-2010; 3:10 PM  
Zone 03 Restore

[0003] 24-02-2010; 3:10 PM  
Zone 04 Alarm

[0003] 24-02-2010; 3:10 PM  
Zone 04 Restore

[0003] 24-02-2010; 3:10 PM  
Zone 05 Alarm

[0003] 24-02-2010; 3:10 PM  
Zone 05 Restore

[0003] 24-02-2010; 3:10 PM  
Partition 1 Disarm by User 01

[0003] 24-02-2010; 3:10 PM  
Partition 1 Disarm by User 01

[0003] 24-02-2010; 3:11 PM  
Partition 1 Arm

[0003] 24-02-2010; 3:11 PM  
Zone 06 Alarm

[0003] 24-02-2010; 3:11 PM  
Zone 06 Restore

[0003] 24-02-2010; 3:12 PM  
Zone 07 Alarm

[0003] 24-02-2010; 3:12 PM  
Zone 07 Restore

[0003] 24-02-2010; 3:12 PM  
Zone 08 Alarm

[0003] 24-02-2010; 3:12 PM  
Zone 08 Restore

[0003] 24-02-2010; 3:12 PM  
Partition 1 Disarm by User 01

# BLUGUARD MINI CMS SOFTWARE

## Account Setting

The screenshot displays the BluGuard CMS-230 PC Software interface. At the top, there is a menu bar with 'File', 'View', and 'Help'. Below the menu bar is a toolbar with icons for a monitor, a printer, a pencil, a document, and an information icon. The main area of the software is divided into several sections. On the left, there is a grid of house icons representing accounts, numbered from 0001 to 0040. In the center, there is a status bar with icons for 'AC OK', 'Timer Set', 'Siren Fail', 'Battery Low', 'Tel Line Fail', and 'Comm OK'. On the right, there is a log window showing a timestamp and a message: '[0002] 03-06-2009; 11:08 AM P1 FIRE'. A 'View Account Information' dialog box is open in the foreground, displaying a table of account details. The table has four columns: 'Account No', 'Address', 'Name', and 'Phone No'. The first five rows are checked, and the sixth row (0006) is highlighted. To the right of the table is a panel titled 'Account Information' with several buttons: 'Activate All Acc', 'Edit Account', 'Clear Account', 'Open Acc File', 'Save Acc File', 'Print', and 'Close'.

Account No	Address	Name	Phone No
<input checked="" type="checkbox"/> 0001	No. 1, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.	Alex	012-1111111
<input checked="" type="checkbox"/> 0002	No. 1, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.	Bryan	012-2222222
<input checked="" type="checkbox"/> 0003	No. 3, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.	Calvin	012-3333333
<input checked="" type="checkbox"/> 0004	No. 4, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.	Daren	012-4444444
<input checked="" type="checkbox"/> 0005	No. 5, Jalan Puteri 8/8, Bandar Puteri, 47100 Puchong, Selangor.	Elvis	012-5555555
<input type="checkbox"/> 0006			
<input type="checkbox"/> 0007			
<input type="checkbox"/> 0008			
<input type="checkbox"/> 0009			
<input type="checkbox"/> 0010			
<input type="checkbox"/> 0011			
<input type="checkbox"/> 0012			
<input type="checkbox"/> 0013			
<input type="checkbox"/> 0014			
<input type="checkbox"/> 0015			
<input type="checkbox"/> 0016			
<input type="checkbox"/> 0017			
<input type="checkbox"/> 0018			
<input type="checkbox"/> 0019			
<input type="checkbox"/> 0020			
<input type="checkbox"/> 0021			
<input type="checkbox"/> 0022			
<input type="checkbox"/> 0023			
<input type="checkbox"/> 0024			
<input type="checkbox"/> 0025			
<input type="checkbox"/> 0026			
<input type="checkbox"/> 0027			
<input type="checkbox"/> 0028			
<input type="checkbox"/> 0029			
<input type="checkbox"/> 0030			
<input type="checkbox"/> 0031			
<input type="checkbox"/> 0032			
<input type="checkbox"/> 0033			
<input type="checkbox"/> 0034			

# BLUGUARD MINI CMS SOFTWARE


## Operator Setting

The screenshot displays the BluGuard CMS-230 PC Software interface. The main window features a menu bar (File, View, Help) and a toolbar with icons for monitor, printer, eraser, clipboard, and help. Below the toolbar is a status bar with indicators for AC OK, Timer Set, Siren Fail, Battery Low, Tel Line Fail, and Comm OK. The main area contains a grid of 20 columns of house icons, each labeled with a number from 0001 to 0220. A dialog box titled "Setting for CMS-230" is open, showing the following configuration:

CMS-230	
Project Name:	Kemuning Utama- Bayu Guard House
Date:	290709 (DDMMYY)
Time:	1240 (24-Hour Format)
Admin Password:	123456 (4 to 8 digits)
Operator 1:	2345 En. Ali Abdullah
Operator 2:	3456 Mr. Johnny
Operator 3:	0000 Operator 3
Operator 4:	0000 Operator 4
Operator 5:	0000 Operator 5
Operator 6:	0000 Operator 6
Operator 7:	0000 Operator 7
Operator 8:	0000 Operator 8
Operator 9:	0000 Operator 9
Operator 10:	0000 Operator 10

The dialog box includes "OK" and "Cancel" buttons at the bottom.

# BLUGUARD MINI CMS DIAGRAM





# SMART HOME SYSTEM

**THANK YOU FOR YOUR  
VALUABLE TIME**

