







## QUOTATION FOR **TFT SERIES** Fingerprint Time Attendance & Access control System



PAYMENT TERMS: T/T ADVANCED BY EXW SHENZHEN CITY, CHINA



PERIOD OF VALIDITY: 60 DAYS



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Fingerprint Time Attendance &amp; Access control System</b>					
<b>NO.1</b>  SC-S8  	<ul style="list-style-type: none"> <li>● LCD Resolution: 128*64</li> <li>● Hardware Platform: ARM926EJ-S</li> <li>● Algorithm version:PTFINGER6.0</li> <li>● Fingerprint Capacity:3,000</li> <li>● Log Capacity: 80,000 events</li> <li>● Communication: TCP/IP(Optional), RS232/485</li> <li>● Proximity Card: ID &amp; IC Card (Optional)</li> <li>● Relay out output signal to the locks to construct the access control system</li> <li>● WG26 input and output</li> <li>● Can connect the clock bell. When you set up the time, the bell will be ringing.</li> </ul>	<b>95</b>	<b>90</b>	<b>85</b>	Fingerprint Reader Power adaptor USB cable The cable to connect the electromagnetic lock Attendance system management software CD Nails to install it on the wall SDK available
SC-W8  	<ul style="list-style-type: none"> <li>● <b>TFT: 2.4 inch TFT (320*240) color screen</b></li> <li>● <b>Fingerprint Capacity:1,000</b></li> <li>● <b>Log Capacity: 100,000 events</b></li> <li>● Support Wiegand26/34 Output/Input signal</li> <li>● <b>Communication: TCP/IP, RS485</b></li> <li>● <b>Proximity Card: available(ID Card)</b></li> <li>● <b>USB Flash Disk Upload/Download Function</b></li> <li>● Terminal Size: 195 (L) × 80(W) × 40(H)mm</li> </ul>	<b>110</b>	<b>105</b>	<b>100</b>	Same Up



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pc s USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-Hardware Platform ARM9</b>					
<p style="text-align: center;">SC-T7</p> 	<ul style="list-style-type: none"> <li>● LCD: <b>2.83" TFT</b></li> <li>● Platform: <b>ARM9</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● <b>Keyboard: Touch</b></li> <li>● Fingerprint capacity: <b>3,000</b></li> <li>● Record Management Capacity: <b>1,000</b></li> <li>● Transaction Capacity: <b>60,000</b></li> <li>● Communication: <b>TCP/IP (optional), RS485, RS232, USB port</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> </ul>	90	85	80	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>
<p style="text-align: center;">SC-A6S</p> 	<ul style="list-style-type: none"> <li>● LCD Resolution: <b>2.83" TFT</b></li> <li>● Hardware Platform: <b>ARM9</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● Fingerprint Capacity: <b>3,000</b></li> <li>● Log Capacity: <b>60,000 events</b></li> <li>● Communication: <b>TCP/IP(Optional), RS232/485</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (Optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> <li>● <b>Access Control –Optional</b></li> </ul>	90	85	80	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-Hardware Platform ARM9</b>					
<p style="text-align: center;">SC-A6w</p> 	<ul style="list-style-type: none"> <li>● LCD Resolution: <b>2.83" TFT</b></li> <li>● Hardware Platform: <b>ARM9</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● Fingerprint Capacity: <b>3,000</b></li> <li>● Log Capacity: <b>60,000 events</b></li> <li>● Communication: <b>TCP/IP(Optional), RS232/485</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (Optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> <li>● <b>Access Control –Optional</b></li> </ul>	90	85	80	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>
<p style="text-align: center;">SC-A6B</p> 	<ul style="list-style-type: none"> <li>● LCD Resolution: <b>2.83" TFT</b></li> <li>● Hardware Platform: <b>ARM9</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● Fingerprint Capacity: <b>3,000</b></li> <li>● Log Capacity: <b>60,000 events</b></li> <li>● Communication: <b>TCP/IP(Optional), RS232/485</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (Optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> <li>● <b>Access Control –Optional</b></li> </ul>	90	85	80	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>

PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-Hardware Platform ARM9</b>					
<p style="text-align: center;">SC-A5</p> 	<ul style="list-style-type: none"> <li>● LCD Resolution: <b>2.83" TFT</b></li> <li>● Hardware Platform: <b>ARM9</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● Fingerprint Capacity: <b>3,000</b></li> <li>● Log Capacity: <b>60,000 events</b></li> <li>● Communication: <b>TCP/IP(Optional), RS232/485</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (Optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> <li>● <b>Access Control –Optional</b></li> </ul>	<b>90</b>	<b>85</b>	<b>80</b>	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>
<p style="text-align: center;">SC-A5D</p> 	<ul style="list-style-type: none"> <li>● LCD Resolution: <b>2.83" TFT</b></li> <li>● <b>Hardware Platform: 710 board</b></li> <li>● CPU: <b>ATMEL</b></li> <li>● <b>Fingerprint Capacity: 1,000</b></li> <li>● Log Capacity: <b>60,000 events</b></li> <li>● Communication: <b>TCP/IP(Optional), RS232/485</b></li> <li>● Proximity Card: <b>ID &amp; IC Card (Optional)</b></li> <li>● USB flash pen drive to export attendance report (not include usb pen)</li> <li>● <b>Access Control –Optional</b></li> </ul>	<b>80</b>	<b>75</b>	<b>70</b>	<p><b>Remarks:</b>  <b>For optional function</b>            TCP/CP: US\$8            ID: US\$8            IC: US\$13  <b>Access Control: US\$8</b>            Battery Backup: US\$8</p>



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-TFT Model with Linux Operating System</b>					
<p style="text-align: center;"><b>SC-H8</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Touch Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available(ID Card)</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$165	\$160	\$155	Same Up
<p style="text-align: center;"><b>SC-A3 CAM</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Built-in camera</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$165	\$160	\$155	Same Up



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-TFT Model with Linux Operating System</b>					
<p style="text-align: center;"><b>SC-A3 CAM-ID</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Built-in camera.</li> <li>● Proximity Card: available(ID Card)</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	<b>\$170</b>	<b>\$165</b>	<b>\$160</b>	Same Up
<p style="text-align: center;"><b>SC-A3T</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	<b>\$145</b>	<b>\$140</b>	<b>\$135</b>	Same Up



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>Fingerprint Time Attendance-TFT Model with Linux Operating System</b>					
<p style="text-align: center;"><b>SC-A5 ID</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available(ID Card)</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$145	\$140	\$135	Same Up
<p style="text-align: center;"><b>SC-A5 U</b></p> 	<ul style="list-style-type: none"> <li>● 3.5 inch TFT, Color Screen</li> <li>● Operating System: Build-in Linux OS</li> <li>● Fingerprint Capacity: 5,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$140	\$135	\$130	Same Up



PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;">SC-C2</p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 180(L)* 134(W)*36(H) mm</li> </ul>	\$80	\$75	\$70	Same Up
<p style="text-align: center;">SC-C2T</p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 180(L) × 134(W) × 36(H) mm</li> </ul>	\$85	\$80	\$75	Same Up





PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;"><b>SC-C3</b></p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 180(L) × 134(W) × 36(H) mm</li> </ul>	<b>\$80</b>	<b>\$75</b>	<b>\$70</b>	Same Up
<p style="text-align: center;"><b>SC-C3T</b></p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 180(L) × 134(W) × 36(H) mm</li> </ul>	<b>\$85</b>	<b>\$80</b>	<b>\$75</b>	Same Up

PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;">SC-C6</p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 210(L) × 125(W) × 39(H) mm</li> </ul>	\$85	\$80	\$75	Same Up
<p style="text-align: center;">SC-C6T</p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 210(L) × 125(W) × 39(H) mm</li> </ul>	\$90	\$85	\$80	Same Up

PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;">SC-C7</p> 	<ul style="list-style-type: none"> <li>● 2.4 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 164(L) × 110(W) × 42(H) mm</li> </ul>	\$88	\$83	\$78	Same Up
<p style="text-align: center;">SC-C7T</p> 	<ul style="list-style-type: none"> <li>● 2.4 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 164(L) × 110(W) × 42(H) mm</li> </ul>	\$93	\$88	\$83	Same Up

PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;"><b>SC-C8</b></p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 190(L) × 135(W) × 37(H) mm</li> </ul>	<b>\$105</b>	<b>\$100</b>	<b>\$95</b>	Same Up
<p style="text-align: center;"><b>SC-C8T</b></p> 	<ul style="list-style-type: none"> <li>● 2.8 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 190(L) × 135(W) × 37(H) mm</li> </ul>	<b>\$110</b>	<b>\$105</b>	<b>\$100</b>	Same Up

PRODUCT	MAIN SPECIFICATION	1~10pcs USD	11~20pcs USD	21~50pcs USD	SYSTEM COMPONENTS
<b>TFT Model (Energy-saving)</b>					
<p style="text-align: center;">SC-C1</p> 	<ul style="list-style-type: none"> <li>● 3.2 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$115	\$110	\$105	Same Up
<p style="text-align: center;">SC-C1T</p> 	<ul style="list-style-type: none"> <li>● 3.2 inch TFT, Color Screen</li> <li>● Operating System: Built-in firmware program</li> <li>● Fingerprint Capacity: 1,000</li> <li>● Log Capacity: 100,000 events</li> <li>● Communication: USB and TCP/IP</li> <li>● Proximity Card: available (ID card)</li> <li>● Terminal Size: 190 (L) × 140 (W) × 37 (H) mm</li> </ul>	\$120	\$115	\$110	Same Up