



Power over Ethernet

HI-NET TECHNOLOGY CO., LTD.

PRODUCTS

SELECTING TYPE MANUAL


S1005E-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1005F-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100Mbps PoE
- 1x100Mbps SFP
- 1G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1005SC-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100Mbps PoE
- 1x100Mbps SC Fiber
- 1G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1006E-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100Mbps PoE
- 2x10/100Mbps RJ45
- 1.2G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1009E-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1.8G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1009F-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x100Mbps SFP
- 1.8G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1009SC-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x100Mbps SC Fiber
- 1.8G Switching capacity
- 1K MAC address
- AC Adapter 65 or 96 or 135W
- CCTV/VLAN Mode Optional
- Desktop

PoE Switch

S1010A-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 2x10/100Mbps RJ45
- 2G Switching capacity
- 16K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged
- Desktop

PoE Switch

S1010E-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 2x10/100/1000Mbps RJ45
- 5.6G Switching capacity
- 16K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged
- Desktop

PoE Switch

S1010EF-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 2x10/100/1000Mbps RJ45/SFP
- 5.6G Switching capacity
- 8K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S1605E-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 10G Switching capacity
- 2K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S1608E-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 16G Switching capacity
- 8K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged
- Desktop

PoE Switch

S1609E-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 18G Switching capacity
- 4K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S1609F-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x1000Mbps SFP
- 18G Switching capacity
- 4K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S1609SC-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x1000Mbps SC Fiber
- 18G Switching capacity
- 4K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S1610F-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 2x10/100/1000Mbps SFP
- 20G Switching capacity
- 8K MAC address
- AC Adapter 65 or 96 or 135W
- Unmanaged, Desktop

PoE Switch

S2009E-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1.8G Switching capacity
- 1K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2009F-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x10/100Mbps SFP
- 1.8G Switching capacity
- 1K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2010D-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 2x10/100/1000Mbps RJ45
- 5.6G Switching capacity
- 4K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2018-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 7.2G Switching capacity
- 4K MAC address
- Built-in AC-DC 270 or 500W
- Unmanaged, 19" 1U Rack-mount

PoE Switch

S2026-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 8.8G Switching capacity
- 4K MAC address
- Built-in AC-DC 400 or 500W
- Unmanaged, 19" 1U Rack-mount

PoE Switch

S2608E-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 16G Switching capacity
- 4K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged
- 13" 1U Rack-mount

PoE Switch

S2609E-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 18G Switching capacity
- 4K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2609F-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x1000Mbps SFP
- 18G Switching capacity
- 4K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2610D-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 20G Switching capacity
- 8K MAC address
- Built-in AC-DC 150 or 270W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2618D-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 400W
- Unmanaged, 13" 1U Rack-mount

PoE Switch

S2618R-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 500W
- Unmanaged, 19" 1U Rack-mount

PoE Switch

S2618-16P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP (Shared)
- 32G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 500W
- Unmanaged
- 19" 1U Rack-mount

PoE Switch

S2626R-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 52G Switching capacity
- 8K MAC address
- Built-in AC-DC 400 or 500W
- Unmanaged
- 19" 1U Rack-mount

PoE Switch

S2626-24P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 2x1000Mbps SFP (Shared)
- 48G Switching capacity
- 8K MAC address
- Built-in AC-DC 400 or 500W
- Unmanaged
- 19" 1U Rack-mount

PoE Switch

S2210D-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 5.6G Switching capacity
- 4K MAC address
- Built-in AC-DC 150 or 270W
- Web-Smart Managed
- 13" 1U Rack-mount

PoE Switch

S2218-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 7.2G Switching capacity
- 4K MAC address
- Built-in AC-DC 270 or 500W
- Web-Smart Managed
- 19" 1U Rack-mount

PoE Switch

S2226-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 8.8G Switching capacity
- 4K MAC address
- Built-in AC-DC 400 or 500W
- Web-Smart Managed
- 19" 1U Rack-mount

PoE Switch

S2910D-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 20G Switching capacity
- 8K MAC address
- Built-in AC-DC 150 or 270W
- L2+ Full Managed
- 13" 1U Rack-mount

PoE Switch

S2918D-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 400W
- L2+ Full Managed
- 13" 1U Rack-mount

PoE Switch

S2918R-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 500W
- L2+ Full Managed
- 19" 1U Rack-mount

PoE Switch

S2926R-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 52G Switching capacity
- 8K MAC address
- Built-in AC-DC 400 or 500W
- L2+ Full Managed
- 19" 1U Rack-mount

PoE Switch

S2930R-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 2x1000Mbps combo port
- 2x1000Mbps SFP
- 32G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 500W
- L2+ Full Managed 19" Rack-mount

PoE Switch

S2912-8P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 4x1000Mbps SFP
- 24G Switching capacity
- 8K MAC address
- Built-in AC-DC 150 or 270W
- L2+ Full Managed
- 13" 1U Rack-mount

PoE Switch

S2918-16P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP (combo)
- 32G Switching capacity
- 8K MAC address
- Built-in AC-DC 270 or 500W
- L2+ Full Managed
- 19" 1U Rack-mount

PoE Switch

S2928-24P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 4x1000Mbps SFP (combo)
- 48G Switching capacity
- 8K MAC address
- Built-in AC-DC 400 or 500W
- L2+ Full Managed
- 19" 1U Rack-mount

PoE Switch

S3020-16P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 4x1000Mbps SFP
- 40G Switching capacity
- 16K MAC address
- Built-in AC-DC 270 or 500W
- L3 Lite Managed
- 19" 1U Rack-mount

PoE Switch

S3028-24P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 4x1000Mbps SFP
- 56G Switching capacity
- 16K MAC address
- Built-in AC-DC 400 or 500W
- L3 Lite Managed
- 19" 1U Rack-mount

PoE Switch

S5020-16P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 4x10Gbps SFP
- 112G Switching capacity
- 16K MAC address
- Built-in AC-DC 270 or 500W
- L3 Lite Managed
- 19" 1U Rack-mount

PoE Switch

S5028-24P

BROADCOM



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 4x10Gbps SFP
- 128G Switching capacity
- 16K MAC address
- Built-in AC-DC 400 or 500W
- L3 Lite Managed
- 19" 1U Rack-mount

PoE Switch

S1005C-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1G Switching capacity
- 1K MAC address
- AC Adapter 65W
- Economic, desktop

PoE Switch

S1009C-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1.8G Switching capacity
- 1K MAC address
- AC Adapter 96W
- Economic, desktop

PoE Switch

S2018C-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 7.2G Switching capacity
- 4K MAC address
- Built-in AC-DC 270W
- Economic, 19" 1U Rack-mount

PoE Switch


S2026C-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 8.8G Switching capacity
- 4K MAC address
- Built-in AC-DC 330W
- Economic, 19" 1U Rack-mount

PoE Switch

S1605C-4P



- IEEE802.3af & IEEE802.3at
- 4x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 10G Switching capacity
- 2K MAC address
- AC Adapter 65W
- Economic, desktop

PoE Switch

S1609C-8P



- IEEE802.3af & IEEE802.3at
- 8x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 18G Switching capacity
- 4K MAC address
- AC Adapter 96W
- Economic, desktop

PoE Switch

S2618CD-16P



- IEEE802.3af & IEEE802.3at
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 270W
- Economic, 13" 1U Rack-mount

PoE Switch

S2626C-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 52G Switching capacity
- 8K MAC address
- Built-in AC-DC 330W
- Economic, 19" 1U Rack-mount

PoE Switch

S2226C-24P



- IEEE802.3af & IEEE802.3at
- 24x10/100Mbps PoE
- 2x10/100/1000Mbps Combo
- 8.8G Switching capacity
- 4K MAC address
- Built-in AC-DC 330W
- Economic, 19" 1U Rack-mount
- Web-smart managed

PoE Switch

S1005E-1U3P



- IEEE802.3af, at, bt
- 4x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1G Switching capacity
- 1K MAC address
- AC Adapter
- Desktop
- 1port support up to 60W PoE

PoE Switch

S2009E-2U6P



- IEEE802.3af, at, bt
- 8x10/100Mbps PoE
- 1x10/100Mbps RJ45
- 1.8G Switching capacity
- 1K MAC address
- Built-in AC-DC power supply
- 13" 1U Rack-mount
- 2ports support up to 60W PoE

PoE Switch

S2609E-2U6P



- IEEE802.3af, at, bt
- 8x10/100/1000Mbps PoE
- 1x10/100/1000Mbps RJ45
- 18G Switching capacity
- 4K MAC address
- Built-in AC-DC power supply
- 13" 1U Rack-mount
- 2ports support up to 60W PoE

PoE Switch

S2918R-8U8P



- IEEE802.3af, at, bt
- 16x10/100/1000Mbps PoE
- 2x1000Mbps SFP
- 36G Switching capacity
- 8K MAC address
- Built-in AC-DC 500W
- L2+ Full Managed
- 19" 1U Rack-mount
- 8ports support up to 60W PoE

PoE Switch

S2930R-8U16P



- IEEE802.3af, at, bt
- 24x10/100/1000Mbps PoE
- 2x1000Mbps combo port
- 2x1000Mbps SFP
- 56G Switching capacity
- 8K MAC address
- Built-in AC-DC 500 or 1000W
- L2+ Full Managed 19" Rack-mount
- 8ports support up to 60W PoE

PoE Switch

S5020-8U8P



- IEEE802.3af, at, bt
- 16x10/100/1000Mbps PoE
- 4x10Gbps SFP
- 112G Switching capacity
- 16K MAC address
- Built-in AC-DC 500W
- L3 Lite Managed
- 19" 1U Rack-mount
- 8ports support up to 60W PoE

PoE Switch

S5028-8U16P



- IEEE802.3af, at, bt
- 24x10/100/1000Mbps PoE
- 4x10Gbps SFP
- 128G Switching capacity
- 16K MAC address
- Built-in AC-DC 500 or 1000W
- L2+ Full Managed
- 19" 1U Rack-mount
- 8ports support up to 60W PoE

PoE Switch

Contact us

Shenzhen Hi-Net Technology Co., Ltd

3F, 4 Building, Anda Industrial Zone, Chongqing Rd, Fuyong Town, Baoan District, Shenzhen City, Guangdong Province, PR China

TEL: +86-755-23706700

FAX: +86-755-27330546

E-mail: cathy@szhi-net.com

Web-site: www.szhi-net.com