





| Product Image | Model No. | Description | Remarks |
|---|----------------|---|---------|
| Auto Focus Zoom Cameras | | | |
|  | TAZC4221N(P) | 22x Zoom Camera, 1/4", 480TVL, Day & Night by DSS, DC12V | |
| | TAZC4222N(P) | 22x Zoom Camera, 1/4", 480TVL, Day & Night by DSS, AC24V/DC12V | |
| | TAZC4221TN(P) | 22x Zoom Camera, 1/4", 480TVL, True Day & Night by ICR, DSS, DC12V | |
| | TAZC4222TN(P) | 22x Zoom Camera, 1/4", 480TVL, True Day & Night by ICR, DSS, AC24V/DC12V | |
| | TAZC4351TN(P) | 35x Zoom Camera, 1/4", 480TVL, True Day & Night by ICR, DSS, DC12V | |
| | TAZC4352TN(P) | 35x Zoom Camera, 1/4", 480TVL, True Day & Night by ICR, DSS, AC24V/DC12V | |
| General Color Box Cameras | | | |
|  | TGBC3001N(P) | Color Box Camera, 1/3", 380TVL, Day & Night, DC12V | |
| | TGBC3002N(P) | Color Box Camera, 1/3", 380TVL, Day & Night, AC24V/DC12V | |
| | TGBC5001N(P) | Color Box Camera, 1/3", 540TVL, Day & Night, DC12V | |
| | TGBC5002N(P) | Color Box Camera, 1/3", 540TVL, Day & Night, AC24V/DC12V | |
| | TGBC5001TN(P) | Color Box Camera, 1/3", 540TVL, True Day & Night by ICR, DC12V | |
| | TGBC5002TN(P) | Color Box Camera, 1/3", 540TVL, True Day & Night by ICR, AC24V/DC12V | |
| | TGBC5501N(P) | Color Box Camera, 1/3", 560TVL, HAWK WDR, DNR, DSS, DC12V | |
| | TGBC5502N(P) | Color Box Camera, 1/3", 560TVL, HAWK WDR, DNR, DSS, AC24V/DC12V | |
| | TGBC5501TN(P) | Color Box Camera, 1/3", 560TVL, HAWK WDR, DNR, DSS, True D/N by ICR, DC12V | |
| | TGBC5502TN(P) | Color Box Camera, 1/3", 560TVL, HAWK WDR, DNR, DSS, True D/N by ICR, AC24V/DC12V | |
| | TGBC5001WTN(P) | Color Box Camera, 1/3", 550TVL, SS3 WDR, True Day & Night by ICR, DC12V OSD | |
| | TGBC5002WTN(P) | Color Box Camera, 1/3", 550TVL, SS3 WDR, True Day & Night by ICR, AC24V/DC12V ,OSD | |
| Color Indoor Dome Cameras | | | |
|  | TGDC3041N(P) | Dome Camera, 1/3", 380TVL, Fixed 4mm, Day & Night, DC12V | |
| | TGDC5041N(P) | Dome Camera, 1/3", 540TVL, Fixed 4mm, Day & Night, DC12V | |
|  | TGDC5281N(P) | Dome Camera, 1/3", 540TVL, 2.8~11mm/F1.2, Day & Night, DC12V | |
| | TGDC5282N(P) | Dome Camera, 1/3", 540TVL, 2.8~11mm/F1.2, Day & Night, AC24V/DC12V | |
| | TGDC5281TN(P) | Dome Camera, 1/3", 540TVL, 2.8~11mm/F1.2, True Day & Night by ICR, DC12V | |
| | TGDC5282TN(P) | Dome Camera, 1/3", 540TVL, 2.8~11mm/F1.2, True Day & Night by ICR, AC24V/DC12V | |
| | TGDC5581N(P) | Dome Camera, 1/3", 560TVL, 2.8~11mm/F1.2, HAWK WDR, DNR, DSS DC12V | |
| | TGDC5582N(P) | Dome Camera, 1/3", 560TVL, 2.8~11mm/F1.2, HAWK WDR, DNR, DSS AC24V/DC12V | |
| | TGDC5581TN(P) | Dome Camera, 1/3", 560TVL, 2.8~11mm/F1.2, HAWK WDR, True Day & Night by ICR, DC12V | |
| | TGDC5582TN(P) | Dome Camera, 1/3", 560TVL, 2.8~11mm/F1.2, HAWK WDR, True Day & Night by ICR, AC24V/DC12V | |
| | TGDC5281WTN(P) | Dome Camera, 1/3", 550TVL, 2.8~11mm/F1.2, SS3 WDR, True Day & Night by ICR, OSD DC12V | |
| | TGDC5282WTN(P) | Dome Camera, 1/3", 540TVL, 2.8~11mm/F1.2, SS3 WDR, True Day & Night by ICR, OSD AC24V/DC12V | |

| Product Image | Model No. | Description | Remarks |
|---|-------------------------------------|---|---------|
| Vandal-proof Dome Cameras | | | |
|  | GV4111W | Sony 1/3" CCD, 540TV Lines, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens, DC12V (Option : Dual Power, Heater, Lens) | |
| | GV44211W | Sony 1/3" CCD, 540TV Lines, 3D-NR, Sense-Up, Digital WDR, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens, OSD Board, DC 12V (Option : Dual Power, Heater, Lens) | |
| | GV3111W | Sony 1/3" CCD, 540TV Lines, DNR, Sense-Up, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens, DC 12V, (Option : Dual Power, Heater, Lens) | |
| | GV3211W | Sony 1/3" CCD, 580TV Lines, DNR, HLC, Sense-Up, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens, DC 12V (Option : Dual Power, Heater, Lens) | |
| | GV3311W | Sony 1/3" CCD, 580TV Lines, DNR, WDR, Sense-Up, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens, DC 12V (Option : Dual Power, Heater, Lens) | |
|  | GTV3111W | Sony 1/3" CCD, 540TV Lines, DNR, Sense-Up, OSD, True Day & Night (ICR), Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens (Filter Changeable), DC 12V (Option : Dual Power, Heater, Lens, Flush & Surface Mount) | |
| | GFV3211W | Sony 1/3" CCD, 540TV Lines, DNR, HLC, Sense-Up, OSD, True Day & Night (ICR), Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens (Filter Changeable), DC 12V (Option : Dual Power, Heater, Lens, Flush & Surface Mount) | |
| | GFV3311W | Sony 1/3" CCD, 580TV Lines, DNR, WDR, Sense-Up, OSD, True Day & Night (ICR), Vandal-proof Dome (3 Axis), 2.8~11mm Varifocal Lens (Filter Changeable), DC 12V (Option : Dual Power, Heater, Lens, Flush & Surface Mount) | |
| PAN-FOCUS Cameras | | | |
|  | GD-P4120 | Sony 1/3" CCD, 540TV Lines, OSD, Digital Day & Night, 120mm Dome (3 Axis), 2.9~8.5mm PAN-Focus Lens, DC12V (Option : Dual Power) | |
|  | GV-P4111 | Sony 1/3" CCD, 540TV Lines, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.9~8.5mm PAN-Focus Lens, DC12V (Option : Dual Power, Heater) | |
|  | GV-P4120 | Sony 1/3" CCD, 540TV Lines, OSD, Digital Day & Night, Vandal-proof Dome (3 Axis), 2.9~8.5mm PAN-Focus Lens, DC12V (Option : Dual Power, Heater) | |
|  | GIV-P4120 (IR Vandal-proof Dome) | Sony 1/3" CCD, 540TV Lines, OSD, True Day & Night, Vandal-proof Dome (3 Axis), 2.9~8.5mm PAN-Focus Lens, IR LED 22pcs (Visible Range 20M : LED ON), DC 12V (Option : Dual Power, Heater) | |
|  | GIB-P4130 | Sony 1/3" CCD, 540TV Lines, True Day & Night, ICR PAN-Focus Bullet Camera, 2.9~8.5mm PAN-Focus Lens, IR LED 40pcs (Visible Range 40M : LED ON), DC 12V (Option : Dual Power, OSD Board, Remote Controller) | |
|  | Wall Mount Bracket | Wall Mount Bracket for Vandal-proof Dome Camera | |
| Color Weather-proof IR Cameras | | | |
|  | TCRB5041-24N(P) | IR Bullet Camera, 1/3", 540TVL, Fixed 4mm, 24 IR LED's & CDs, Day & Night, DC12V | |
| | TCRB5061-24N(P) | IR Bullet Camera, 1/3", 540TVL, Fixed 6mm, 24 IR LED's & CDs, Day & Night, DC12V | |
|  | TCRB5281-42N(P) | IR Bullet Camera, 1/3", 550TVL, 2.8~11mm/F1.2, 42 IR LED's & CDs, Day & Night, DC12V | |
| | TCRB5282-42N(P) | IR Bullet Camera, 1/3", 550TVL, 2.8~11mm/F1.2, 42 IR LED's & CDs, Day & Night, AC2V/DC12V | |
| | TCRB5281T-42N(P) | IR Bullet Camera, 1/3", 550TVL, 2.8~11mm/F1.2, 42 IR LED's & CDs, True Day & Night by ICR, DC12V | |
| | TCRB5282T-42N(P) | IR Bullet Camera, 1/3", 550TVL, 2.8~11mm/F1.2, 42 IR LED's & CDs, True Day & Night by ICR, AC2V/DC12V | |

| Product Image | Model No. | Description | Remarks |
|---|-------------------------|--|---------|
| Color Weather-proof IR Cameras | | | |
|  | TCRB5581-42N(P) | IR Bullet Camera, 1/3", 560TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, HAWK WDR, DC12V | |
| | TCRB5582-42N(P) | IR Bullet Camera, 1/3", 560TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, HAWK WDR, AC2V/DC12V | |
| | TCRB5581T-42N(P) | IR Bullet Camera, 1/3", 560TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, HAWK WDR, True Day & Night by ICR, DC12V | |
| | TCRB5582T-42N(P) | IR Bullet Camera, 1/3", 560TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, HAWK WDR, True Day & Night by ICR, AC2V/DC12V | |
| | TCRB5481-42N(P) | IR Bullet Camera, 1/3", 570TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, SS3 WDR, DC12V | |
| | TCRB5482-42N(P) | IR Bullet Camera, 1/3", 570TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, SS3 WDR, AC2V/DC12V | |
| | TCRB5481T-42N(P) | IR Bullet Camera, 1/3", 570TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, SS3 WDR, True Day & Night by ICR, DC12V | |
| | TCRB5482T-42N(P) | IR Bullet Camera, 1/3", 570TVL,2.8~11mm/F1.2, 42 IR LED's & CDs, SS3 WDR, True Day & Night by ICR, AC2V/DC12V | |
| Accessories | | | |
|  | Wired Remote Controller | Wired Remote Controller for Zoom Camera / 1.5Meter | |
|  | Wired Remote Controller | Wired Remote Controller for Zoom Camera / 10Meter | |
|  | Wired Remote Controller | Wired Remote Controller for Zoom Camera / 35Meter | |