

KS-SD900 Speed Dome



Powerful Functions


- High performance/price ratio
- Support many cameras modules for versatile needs such as SONY, HITACHI, CNB, SANYO, SAMSUNG etc
- Multi languages OSD menu for training-free and user-friendly operation (English, French, German, Italian, Spanish, Portuguese, Polish, Chinese etc)
- Support as much as 15 existing protocols such as Pelco-P/D/C, VICON, Panasonic, AD, Sensonet, compatible with most of the existing control devices
- 220 presets with 40-character title
- 4 tours with 32 presets each tour
- 4 auto scanning in different mode such as horizontal, vertical, peeling
- 4 patterns with at least 360s recording each pattern
- 8 scheduled zones for tour, scan, pattern etc

- 7 alarm in and 2 relay out
- Support 4 to 24 privacy blanking
- Clock, date, calendar display on the screen
- Support click zoom function realizing true 3D fast positioning and capture
- Back-up memory function, all parameters & setting will restore after power on or changing camera without setting again
- Built-in tracking module, support GOTO tracking
- Intelligent diagnose function, auto diagnose the operation status such as camera, inner temperature, communication, alarm etc
- Auto recognition of protocol & baud rate (optional)

Solid Mechanism

- Rugged & compact mechanism
- Plug-and-Play design for quick installation, support hot plug
- New generation motor driving IC with low power consumption and more accurate and faster in positioning the object
- 360° continuously pan with high quality slip ring
- 0° ~ 95° tilt and 75° ~ 95° vertical corner setting provides wider view and avoids black rim problem perfectly
- $\pm 0.1^\circ$ accuracy and no preset shifting after long time operation
- 360° ~ 540°/s preset speed which is faster than current competitors
- 0.1° ~ 160°/s manual speed
- Power saving mode when stand-by and prolong the life of the unit
- Focus & speed auto matching technology making control more easily and precision
- Separated switch power design prohibits disturbance to the video signal
- Built-in 4000V lightning and surge protection
- IP66 weather proof for outdoor 7/24 video surveillance at all kind of environment and climate

Industrial plastic base with AMP plug



Plug-and-Play mechanism

High quality durable slip ring

Precision motor

Many camera modules optional