















--Network Video Recorder --

	Network Video Recorder						
	<p>Coming Soon!</p>  <p>3025-83</p>	 <p>3025-45</p>	 <p>3025-68</p>	 <p>3030-47</p>	 <p>3031-52</p>	 <p>3044</p>	 <p>3045-36/75</p>
Product Type	Standalone	Standalone	Standalone	Standalone	Standalone	Standalone	Standalone
Max. video resolution (pixels)	24IP 5MP/36IP 4MP/64IP 2MP	24IP 5MP/32IP 4MP/16IP 2MP	24IP 5MP/32IP 4MP/16IP 2MP	8IP 4MP/16IP 1.3MP	4IP 4MP	8 IP 5MP/16 IP 4MP	4 IP 1080p/8IP 1080p
Video source	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC	GOLBONG IPC/Onvif IPC
Synch Playback	4IP 5MP/9IP 4MP/8IP 2MP	4IP 5MP/9IP 4MP/16IP 2MP	4IP 5MP/9IP 4MP/16IP 2MP	4IP 4MP/4IP 1.3MP	4IP 4MP	4 IP 5MP/4 IP 4MP	1 IP 1080p/2IP 1080p
Frames per second	30fps	30fps	30fps	30fps	30fps	30fps	30fps
Compression	H.265/H.264	H.265/H.264	H.265/H.264	H.265/H.264	H.265/H.264	H.265/H.264	H.264
Local Access	HDMI/VGA	HDMI/VGA	HDMI/VGA	HDMI	HDMI	HDMI/VGA	HDMI/VGA
Audio support	IPC audio input, local I/O	IPC audio input, local I/O	IPC audio input, local I/O	IPC audio input	IPC audio input	IPC audio input, local I/O	IPC audio
Local Alarm in-/outputs	Local 16 in/4 out configurable	Local 16 in/4 out configurable	Local 16 in/4 out configurable	N/A	N/A	N/A	N/A
Event Status	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure
Pan/tilt/zoom support	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Power	110VAC-220VAC	110VAC-220VAC	110VAC-220VAC	DC48V	DC48V	DC12V	DC12V
System	embedded Linux	embedded Linux	embedded Linux	embedded Linux	embedded Linux	embedded Linux	embedded Linux
Hard Disk Bays	8 HDD, 6TB each	8 HDD, 6TB each	4 HDD, 6TB each	1 HDD, 6TB	1 HDD, 6TB	2 HDD, 6TB each	1 HDD, 6TB
Built-in PoE	N/A	N/A	N/A	8 ports	4 ports	N/A	N/A

--Recorder --

	Hybrid Recorder			HD Recorder		
	<p>Coming Soon!</p>  <p>3550-28</p>	 <p>3566</p>	 <p>3572</p>	 <p>3554-28</p>	 <p>3555-28</p>	 <p>3556-28</p>
Product Type	Standalone	Standalone	Standalone	Standalone	Standalone	Standalone
Max. video resolution (pixels)	8 analog + 8 IP 1080p or 32IP 1080p	8 analog + 8 IP 1080p or 32IP 1080p	4 analog + 4 IP 1080p or 8IP 1080p + 8 IP 960p	16CH analog 4MP	8CH analog 4MP	4CH analog 4MP
Video source	GOLBONG IPC/Onvif IPC/analog 1080p	GOLBONG IPC/Onvif IPC/analog 1080p	GOLBONG IPC/Onvif IPC/analog 1080p	AHD/TVI/CVI/CVBS	AHD/TVI/CVI/CVBS	AHD/TVI/CVI/CVBS
Synch Playback	16CH 1080p	16CH 1080p	4CH 1080p	8CH 4MP	4CH 4MP	4CH 4MP
Frames per second	12fps analog or 30fps IP	12fps analog or 30fps IP	18fps analog or 30fps IP	16*4M@8fps(AHD), 16*1080P @15fps (5 in 1)	8*4M@15fps(AHD), 8*1080P @30fps (5 in 1)	4*4M@15fps(AHD), 4*1080P @30fps (5 in 1)
Compression	H.264	H.264	H.264	H.264	H.264	H.264
Local Access	HDMI/VGA	HDMI/VGA	HDMI/VGA	HDMI/VGA	HDMI/VGA	HDMI/VGA
Audio support	IPC audio input, local I/O	IPC audio input, local I/O	IPC audio input, local I/O	6 input/ 1 output	4 input/ 1 output	4 input/ 1 output
Alarm in-/outputs	Local 16 in/4 out configurable	Local 4 in/1 out configurable	N/A	Local 4 in/1 out configurable	N/A	N/A
Event Status	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure	IPC alarm, motion detection, video loss, network failure
Pan/tilt/zoom support	Yes	Yes	Yes	Yes	Yes	Yes
Power	110VAC-220VAC	DC12V, 4A	DC12V, 2A	DC12V, 4A	DC12V, 2A	DC12V, 2A
System	embedded Linux	embedded Linux	embedded Linux	embedded Linux	embedded Linux	embedded Linux
Hard Disk Bays	6 HDD, 6TB each	2 HDD, 6TB each	1 HDD, 6TB	1 HDD, 6TB	1 HDD, 6TB	1 HDD, 6TB
Built-in PoE	N/A	N/A	N/A	N/A	N/A	N/A

--Platform Server --

	Decoder	HD video encoder		NVR switch	Platform Server		
	 5808	 3554-28	 3555-28	 5805	 5801	 5802	 5803
Product Type	Standalone	Standalone	Standalone	Standalone	Standalone	Standalone	Standalone
Max. video resolution (pixels)	1920*1080	16CH analog 4MP	8CH analog 4MP	N/A	N/A	N/A	1920*1080
Video source	GOLBONG IPC/NVR/DVR, Onvif IPC	TVI/AHD/CVI/CVBS	TVI/AHD/CVI/CVBS	16-channel VGA	512CH management	2046CH management	1024CH management
Video Decoding	8IP 1080p/ 16IP 720p/ 32IP D1	N/A	N/A	N/A	N/A	N/A	8IP 1080p/ 16IP 720p/ 32IP D1/64IP CIF
Compression	H.264	H.264	H.264	N/A	N/A	N/A	H.264
Local Access	HDMI/VGA/BNC	HDMI/VGA	HDMI/VGA	VGA	VGA *1, HDMI *1, DVI *1 (For management only)	VGA *1, HDMI *1, DVI *1 (For management only)	4 miniDP
Audio support	4 output	4 input	4 input	N/A	N/A	N/A	Yes
Local Alarm in-/outputs	N/A	6 input	N/A	N/A	N/A	N/A	N/A
Event Status	IPC alarm, motion detection, video loss, network failure	motion detection, video loss, network failure	motion detection, video loss, network failure	N/A	IPC alarm, motion detection, video loss	IPC alarm, motion detection, video loss	IPC alarm, motion detection, video loss
Pan/tilt/zoom support	Yes	Yes	Yes	N/A	N/A	N/A	Yes
Power	DC12V/2A	DC12V/4A	DC12V/2A	DC9V	220VAC	220VAC	220VAC
System	embedded Linux	embedded Linux	embedded Linux	N/A	Linux	Linux	Windows Embedded
Hard Disk Bays	N/A	N/A	N/A	N/A	ST 500G SATA	ST 500G SATA	ST 500G SATA