

# Digital Security Systems



Product Line 2012

 **infinique**  
[www.infinique.com](http://www.infinique.com)

# Secure your assets



**Infinique Digital Security Systems**
























## Professional Digital Video Security Solutions

For nearly a decade, Infinique has strived to support its customers with a spirit of innovation and excellence bundled with a very high quality service. These core qualities form the basis for everything we do at Infinique empowering us to provide a quality line of products which are future proof. Our catalogue represents our expertise, detailing the latest innovations and key products in each of Infinique's professional digital video security solution.



Infinique is a leading manufacturer of Professional Digital Video Security Systems helping organizations to reduce losses, mitigate risks and improve security and operational efficiency.

# PRODUCT LINE UP - ANALOGUE SOLUTION

PAN/TILT/ZOOM (PTZ) CAMERA		DOME CAMERA	
<b>ISDOS36/26</b> 1/4" Sony EXview HAD CCD, 36X/26X, WDR, DSS, 530 TVL, Outdoor, Day and Night 0.01 Lux		<b>IDP550F</b> 600 TVL Dome, 1/3" Sony Super HAD CCD II, 3.6 mm, DWDR, 2D-DNR, Day and Night, 0.2 Lux, OSD, 3-Axis Bracket	
<b>ISDIS36/26</b> 1/4" Sony EXview HAD CCD, 36X/26X, WDR, DSS, 530 TVL, Indoor, Day and Night 0.01 Lux		<b>IDP600V</b> 600 TVL Varifocal Dome, 1/3" Sony Super HAD CCD II, 2.8~11 mm, DC Auto Iris, DWDR, 2D-DNR, Day and Night 0.2 Lux, OSD, 3-Axis Bracket	
<b>ISDOH35/25</b> 1/4" Honeywell HAD CCD, 35X/25X, WDR, DSS, 480 TVL, Outdoor, Day and Night 0.0001 Lux		<b>IDS70FD</b> 600 TVL Mini Dome, 1/3" Sony Super HAD CCD II, 3.6 mm Lens, DWDR, DNR, Day and Night, 0.1 Lux, OSD, 3-Axis Bracket	
<b>ISDIH35/25</b> 1/4" Honeywell HAD CCD, 35X/25X, WDR, DSS, 480 TVL, Indoor, Day and Night 0.0001 Lux		<b>IMDS600F</b> 600 TVL Mini Vandal Dome, 1/3" Sony Super HAD CCD II, 3.6 mm Lens, 3D-DNR, DSS, DWDR, 0.1 Lux, OSD, IP66, 3-Axis Bracket (Optional Audio)	
<b>ISDON37/33/27</b> 1/4" Super Samsung HAD CCD, 37X/33X/27, WDR, DSS, 550 TVL, Outdoor, Day and Night 0.0007 Lux		<b>IDP560FD</b> 600 TVL Dome, 1/3" Sony Super HAD CCD II, 3.6 mm Lens, 3D-DNR, Day and Night, 0.1 Lux, DSS, OSD, 3-Axis Bracket	
<b>ISDIN37/33/27</b> 1/4" Super Samsung HAD CCD, 37X/33X/27X, WDR, DSS, 550 TVL, Indoor Day and Night 0.0007 Lux		<b>IDP560FDW</b> 600 TVL Dome, 1/3" Sony Super HAD CCD II, 3.6 mm Lens, WDR, 3D-DNR, DSS, 0.1 Lux, OSD, 3-Axis Bracket	
<b>IMSDO10</b> 1/4" Interline Transfer CCD, 10X, 500 TVL, DSS, OSD, Outdoor, Day and Night 0.7 Lux		<b>IDP560DT</b> 600 TVL Varifocal Dome, 1/3" Sony Super HAD CCD II, 2.8~11 mm Lens, DC Auto Iris, 3D-DNR, DSS, TDN with ICR, 0.1 Lux, OSD, 3-Axis Bracket	
<b>IMSDI10</b> 1/4" Interline Transfer CCD, 10X, 500 TVL, DSS, OSD, Indoor, Day and Night 0.7 Lux		<b>IDP560DTW</b> 600 TVL Varifocal Dome, 1/3" Sony Super HAD CCD II, 2.8~11 mm Lens, DC Auto Iris, WDR, 3D-DNR, DSS, TDN with ICR, 0.1 Lux, OSD, 3-Axis Bracket	
<b>IFSD-SC2</b> System Controller for Speed Dome Cameras			
SUPER NIGHT VISION CAMERA			
<b>IRBK50R250</b> 650 TVL Super Night Vision, 1/3" Sony Super HAD CCD, 5~50mm Lens, DC Auto Iris, 0 Lux, 3D-DNR, DWDR, TDN, ICR, IR Range 250m, Housing and Bracket included, IP66		BOX CAMERA, BRACKET AND LENS	
<b>IRBK50R120</b> 650 TVL Super Night Vision, 1/3" Sony Super HAD CCD, 6~50mm Lens, DC Auto Iris, 0 Lux, 3D-DNR, DWDR, TDN, ICR, IR Range 120m, Housing and Bracket included, IP66		<b>IBX600</b> 600 TVL Box Camera, 1/3" Sony Super HAD II Color CCD, 2D-DNR, DWDR, Digital Day & Night, HLC, OSD, Lens not included	
<b>IRBK16R120</b> 650 TVL Super Night Vision, 1/3" Sony Super HAD CCD, 3.6~16mm, DC Auto Iris, 0 Lux, 3D-DNR, TDN, ICR, IR Range 120m, Housing and Bracket included, IP66		<b>IBX600DTW</b> 600 TVL Box Camera, 1/3" Sony Super HAD II Color CCD, WDR, 3D-DNR, DSS, TDN, ICR, HLC, OSD, Lens not Included	
<b>IRBK50R50X</b> 650 TVL Super Night Vision with Motorized Zoom, Sony 1/3" Super HAD CCD, 6~50mm Varifocal Lens, DC Auto Iris, DNR, DWDR, TDN, ICR, 0 Lux, IR Range 50m, Housing and Bracket included, IP66		<b>IBBXWM</b> Box Camera Bracket	
<b>IRBK9R40</b> 650 TVL Super Night Vision, 1/3" Super HAD CCD, 4~9mm Varifocal Lens, DC Auto Iris, 3D-DNR, DSS, TDN, ICR, 0 Lux, IR Range 120m, Housing and Bracket included, IP66		<b>IFLN5582D</b> 5.5~82.5 mm CS-Mount Lens	
<b>IRBK6R35</b> 600 TVL Super Night Vision, 1/3" Super HAD CCD, 6mm Lens, 0 Lux, IR Range 40m, Housing and Bracket included, IP66		<b>IFLN5050D</b> 5.0~50.0 mm CS-Mount Lens	
		<b>IFLN4016D</b> 4.0~16.0 mm CS-Mount Lens	
		<b>IFLN3080D</b> 3.0~8.0 mm CS-Mount Lens	
		<b>IFLN2812D</b> 2.8~12.0 mm CS-Mount Lens	












# PRODUCT LINE UP - ANALOGUE SOLUTION

IR CAMERA		DIGITAL VIDEO RECORDER	
<b>IRDP600F</b> 600 TVL IR Dome, 1/3" Sony Super HAD CCD II, 3.6mm Lens, 0 Lux, IR Range 10 M, OSD, DWDR, 3-Axis Bracket		<b>IF-HQ16PX/8PX</b> Professional Series 16 and 8 Channel DVRs, H.264 Compression 240/200fps @ D1, 480/400fps real-time recording @2CIF, 3 SATA Disk, DVD R/W Drive (HDD Not Included)	
<b>IRDP600V</b> 600 TVL IR Varifocal Dome, 1/3" Sony Super HAD CCD II, 2.8–11 mm Lens, DC Auto Iris, 0 Lux, IR Range 25M, OSD, DWDR, 3-Axis Bracket		<b>IF-HQ16SX/8SX/4SX</b> System Series 16, 8 and 4 Channel DVRs, H.264 Compression 120/100fps @ D1, 240/200fps @2CIF, 2 SATA Disk, DVD R/W Drive (HDD Not Included)	
<b>IRMDS600F</b> 600 TVL Mini Vandal Dome, 1/3" Sony Super HAD CCD II, 3.6 mm Lens, 3D-DNR, DSS, DWDR, 0 Lux, IR Range 20m, OSD, IP66, 3-Axis Bracket (Optional Audio)		<b>IF-HQ16EX/8EX/4EX</b> Econo Series 16, 8 and 4 Channel DVRs, H.264 Compression 120/100fps @D1, 240/200fps @2CIF, 1 SATA Disk (HDD Not Included)	
<b>IRDP550F</b> 600 TVL IR Dome, 1/3" Sony Super HAD CCD II, 3.6mm Lens, 0 Lux, IR Range 25m, OSD, DWDR, 3-Axis Bracket		<b>ACCESSORIES</b>	
<b>IRDP560FD</b> 600 TVL IR Dome, 1/3" Sony Super HAD CCD II, 3.6mm Lens, 3D-DNR, DSS, 600, 0 Lux, IR Range 25m, OSD		<b>IF-12VDC05A</b> Regulated CCTV Power Adapter, 12V DC 500 mAmp, Center Positive, 2.1mm Jack, 6 ft	
<b>IRDP560DT</b> 600 TVL IR Varifocal Dome, 1/3" Sony Super HAD CCD II, 2.8–11mm Lens, DC Auto Iris, 3D-DNR, DSS, DWDR, TDN, ICR, 0 Lux, IR Range 25m, OSD		<b>IF-12VDC15A</b> Regulated CCTV Power Adapter, 12V DC 1.5 Amp, Center Positive, 2.1mm Jack, 6 ft	
<b>IRBK6R20</b> 600 TVL IR Bullet Camera, 1/3" Sony Super HAD CCD, 3D-DNR, 3.6mm, 0.1 Lux, IR Range 20m, Housing and Bracket included, IP66		<b>IBSDWM</b> Wall Mount Bracket for PTZ Camera	
<b>IRBK11R80</b> 650 TVL IR Varifocal Bullet Camera, Sony 1/3" Super HAD CCD, 2.8–11mm, DC Auto Iris, 0.1 Lux, IR Range 80m, Housing and Bracket included, IP66		<b>IBSDCE</b> Ceiling Mount Bracket for PTZ Camera	
<b>VANDAL PROOF CAMERA</b>		<b>IBSDCR</b> Corner Mount Bracket for PTZ Camera	
<b>ICS600FX / IRCS600FX</b> 600 TVL, Corner Mount Elevator Camera, 1/3" Sony Super HAD CCD II, 2.3 mm Lens, IP66 Aluminum Housing, Available with/without IR LEDs		<b>IBSDPM</b> Pole Mount Bracket for PTZ Camera	
<b>IVDP560DT</b> 600 TVL Varifocal Vandal Dome, 1/3" Sony Super HAD CCD II, 2.8–11 mm Lens, DC Auto Iris, 3D-DNR, DSS, TDN, ICR, 0.1Lux, 3-Axis Bracket, IP66		<b>IBSDRM</b> Roof Mount Bracket for PTZ Camera	
<b>IVDP560DTW</b> 600 TVL Varifocal Vandal Dome, 1/3" Sony Super HAD CCD II, 2.8–11 mm Lens, DC Auto Iris, WDR, 3D-DNR, DSS, TDN, ICR, 0.1Lux, 3-Axis Bracket, IP66		<b>IBSDPA</b> Parapet Mount Bracket for PTZ Camera	
<b>IDNI550F, IDNO550F</b> 550 TVL NClosure Vandal Dome, 1/3" Sony HAD CCD, 3.6 mm Lens, 0.7 Lux, IP66		<b>IBSDSS</b> Sunshield Mount Bracket for PTZ Camera	
<b>IDNI550V, IDNO550V</b> 550 TVL NClosure Vandal Dome, 1/3" Sony HAD CCD, 4–9 mm Lens, DC Auto Iris, 0.7 Lux, IP66		<b>IBOMDWM</b> Outdoor Wall Mount Bracket for Mini PTZ	
<b>LICENSE PLATE CAMERA</b>		<b>IBOMDCE</b> Outdoor Ceiling Mount Bracket for Mini PTZ	
<b>IRLP50R90</b> 650 TVL License Plate Camera, 1/3" Sony Super HAD CCD II, 6–50 mm Lens, DC Auto Iris, 0.3Lux/F 1.2, 3D-DNR, DWDR, TDN, ICR, 90 IR LEDs, Housing and Bracket included, IP66		<b>IBOMDSM</b> Outdoor Surface Mount Bracket for Mini PTZ	
		<b>IBOMDSS</b> Outdoor Sunshield Mount Bracket for Mini PTZ	
		<b>IBIMDWM</b> Indoor Wall Mount Bracket for Mini PTZ	
		<b>IBIMDCE</b> Indoor Ceiling Mount Bracket for Mini PTZ	
		<b>IBIMDFM</b> Indoor Flush Mount Bracket for Mini PTZ	










# PRODUCT LINE UP - IP SOLUTION

BOX CAMERA		DOME CAMERA	
<b>IBS220-5T</b> IP Box Camera, 5.0 Megapixel, H.264, MJPEG, 1/2.5" CMOS Sensor, 1400 TVL, Dual Streaming, TDN, SD Card, PoE		<b>IDS610-5T</b> IP Dome Camera, 5.0 Megapixel, 1/2.5" CMOS Progressive Scan Image Sensor, 1400 TVL, TDN, PoE, IP67	
<b>IBS220-3T</b> IP Box Camera, 3.0 Megapixel, H.264, MJPEG, 1/2.5" CMOS Sensor, 1100 TVL, Dual Streaming, TDN, SD Card, PoE		<b>IDS610-3T</b> IP Dome Camera, 3.0 Megapixel, 1/2.5" CMOS Progressive Scan Image sensor, 1100 TVL, TDN, PoE, IP67	
<b>IBS220-2T</b> IP Box Camera, 2.0 Megapixel, H.264, MJPEG, 1/2.5" CMOS Sensor, 1000 TVL, Dual Streaming, TDN, SD Card, PoE		<b>IDS610-2T</b> IP Dome Camera, 2.0 Megapixel, 1/2.5" CMOS Progressive Scan Image Sensor, 1000 TVL, TDN, PoE, IP67	
<b>INB220-1T</b> IP Box Camera, 1.3 Megapixel, H.264, MJPEG, 1/2.5" CMOS Sensor, 700 TVL, Dual Streaming, TDN, SD Card, PoE		<b>IDS610-1T</b> IP Dome Camera 1.3 Megapixel, 1/2.5" CMOS Progressive Scan Image Sensor, 700 TVL, TDN, PoE, IP67	
<b>IBC220-1T</b> IP Box Camera, 1.3 Megapixel, H.264, MJPEG, 1/3" Exview HAD CCD Image Sensor, 600TVL, TDN, PoE		<b>IDS610-VT</b> IP Dome Camera, VGA 1/4" CMOS Progressive Scan Image Sensor, 400 TVL, TDN, PoE, IP67	
<b>IBD220</b> IP Box Camera, D1 Resolution, 1/3" Super HAD CCD Image Sensor, 540TVL, PoE		<b>IDC610-1T</b> IP Dome Camera, 1.3 Megapixel, 1/3" CCD Progressive Scan Image Sensor, 600 TVL, TDN, PoE, IP67	
<b>IBD220-WT</b> IP Box Camera, D1 Resolution, 1/3" Super HAD CCD Image Sensor, 580TVL, WDR, TDN, PoE		<b>IDD610-T</b> IP Dome Camera, D1 Resolution, 1/3" Super Had CCD Image Sensor, 580 TVL, TDN, PoE, IP67	
<b>IP BOX CAMERA WITH LENS</b>		<b>PTZ CAMERA AND ACCESSORIES</b>	
<b>IBS250-2X10</b> IP Box Camera with Lens, 2.0 Megapixel, 1/2.5" CMOS Image Sensor, 800 TVL, TDN, PoE, 10X Zoom		<b>IPS270-2X10</b> IP PTZ Camera, 2.0 Megapixel, 1/2.5" CMOS Image sensor, 800 TVL, Auto DC, X10 Optical Zoom, TDN, PoE, IP66	
<b>IBS250-2X20</b> IP Box Camera with Lens, 2.0 Megapixel, 1/3" CMOS Image Sensor, 900 TVL, WDR, TDN, PoE, 20X Zoom		<b>IPC270-1X18</b> IP PTZ Camera, 1.3 Megapixel, 1/3" Progressive Scan Ex-View Color CCD, 600 TVL, Auto DC, X18 Optical Zoom, WDR, TDN, PoE, IP66	
<b>IBS250-1X18</b> IP Box Camera with Lens, 1.3 Megapixel, 1/3" Progressive Scan Ex-View Color CCD, 600 TVL, WDR, TDN, PoE, 18X Zoom		<b>IPD270-X10</b> IP PTZ D1 Camera, D1 Resolution, 1/4" Exview HAD CCD Image Sensor, 470 TVL, Auto DC, X10 Optical Zoom, WDR, TDN, IP66	
<b>IR CAMERA</b>		<b>IPD270-X27</b> IP PTZ Camera, D1 Resolution, 1/4" Super Had CCD Image Sensor, 500 TVL, Auto DC, X27 Optical Zoom, WDR, TDN, PoE, IP66	
<b>IRDS610-2T</b> IP IR Dome Camera, 2.0 Megapixel, 1/3" CMOS Progressive Scan Image Sensor, 1200 TVL, TDN, PoE, IP67		<b>IPD270-X33</b> IP PTZ Camera, D1 Resolution, 1/4" Super Had CCD Image Sensor, 500 TVL, Auto DC, X33 Optical Zoom, WDR, TDN, PoE, IP66	
<b>IRDC610-1T</b> IP IR Dome Camera, 1.3 Megapixel, 1/3" CCD Progressive Image Sensor, 600 TVL, 24 IR LEDs, TDN, PoE		<b>IPD270-X37</b> IP PTZ Camera, D1 Resolution, 1/4" CCD Double Density Interline Transfer Image Sensor, 500 TVL, Auto DC, X37 Optical Zoom, WDR, TDN, PoE, IP66	
<b>IRDD610-T</b> IP IR Dome Camera, 1/3" Super Had CCD Image Sensor, 580 TVL, 24 IR LEDs, TDN, PoE		<b>IFKB-IP</b> Infinique System Controller for INS270 IP Megapixel PTZ Camera	
<b>IRBC220-T</b> IP IR Bullet Camera, 1.3 Megapixel, 1/3" CCD Progressive Scan Image Sensor, 600 TVL, TDN, PoE		<b>IBK-10C</b> Ceiling Mount Bracket for IP PTZ Camera	
		<b>IBK-10W</b> Wall Mount Bracket for IP PTZ Camera	

## PRODUCT LINE UP - IP SOLUTION

NETWORK VIDEO RECORDER			VIDEO SERVER		
<b>INVR-16</b> Infinique Network Video Recording System, Simultaneous recording for up to 16 Channels			<b>INVS100-HC</b> H.264 Megapixel Full HD Single Channel Encoder, Decoder, Dual Streaming, HDMI, Composite, PoE		
<b>INVR-36</b> Infinique Network Video Recording System, Simultaneous recording for up to 36 Channels			<b>INVS100-HCS</b> H.264 Megapixel Full HD Single Channel Encoder, Decoder, Dual Streaming, HDMI, Composite, HD-SDI, PoE		
<b>INVR-64</b> Infinique Network Video Recording System, Simultaneous recording for up to 64 Channels			<b>INVS200-D</b> H.264 Megapixel Single Channel Duplex Encoder, Decoder, HDMI, PoE		
<b>INVR-128</b> Infinique Network Video Recording System, Simultaneous recording for up to 128 Channels			<b>INVS300-D</b> H.264 Megapixel Full D1 Single Channel Encoder, Decoder, Dual Streaming, HDMI, PoE		
<b>INVR Client</b> Infinique remote streaming server software for 100 users			<b>INVS400-D</b> H.264 Megapixel D1 Quality Four Channel Encoder, Dual Streaming, HDMI, PoE		
<b>INVR-9000</b> H.264 Full HD Network Video Recorder, 9 Channels					

## PRODUCT LINE UP - FIBER OPTIC TRANSMISSION

TRANSMITTER - RECEIVER			MEDIA CONVERTOR		
<b>F2 Series Fiber Transmission</b> Fiber Transmission of Video only, Transmitter and Receiver, 1-16 Channels			<b>3S Series Media Convertor</b> 10/100Base-Tx to Fx Ethernet Media Convertor		
<b>F6 Series Fiber Transmission</b> Fiber Transmission of Video and Data, Transmitter and Receiver, up to 16 Channels of Video, 4 Channels of bi-directional data			<b>4S Series Media Convertor</b> 1000Base-Tx to Fx Ethernet Gigabit Media Convertor		
<b>F7 Series Fiber Transmission</b> Fiber Transmission of Video, Audio and Data, Transmitter and Receiver up to 4 Channels of simultaneous Audio, Video and Data			<b>Ring Type Media Convertor</b> Ring Type Media Converter 10/100Base-Tx/Fx, 1310nm NMS type, 2FOP		
<b>MULTIPLEXER</b>			<b>IMC-CTRL2U</b> Rack Mountable Media Convertor Solution		
<b>IF-MUX128</b> Fiber Digital Multiplexer, Transmission of multiple channels of video, audio, data transmission over single fiber			<b>Fiber Optic Video Server</b> Optical Media Convertor and Video Server, Video over IP		

# Infinique Digital Security Systems

Product Line 2012


Design and specification are subject to change without notice.



Infinique Worldwide Inc  
460 Brant Street,  
Burlington, Ontario  
Canada L7R 4B6  
Tel: +1-289-288-5312  
Toll Free : +1-866-516-1023  
Email: sales@infinique.com

Infinique EMEA FZC  
PO Box 122117  
R4-24, Sharjah Airport Free Zone  
Sharjah, United Arab Emirates  
Tel: +971-6-5579447  
Email: sales@infinique.com

## DISTRIBUTED BY



© 2012 Infinique. All rights reserved. This product or document is protected by copyright and distributed under licenses restricting its use, copying, distribution and recompilation. No part of this product or document may be reproduced in any form by any means without prior written authorization of Infinique Worldwide Inc and its licensors, if any.



[www.infinique.com](http://www.infinique.com)